



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB115773

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M3333-01	124055	1	100.02	0.00	08/10/2021	11:02
2	M3333-01DUP	124055DUP	1	100.03	0.00	08/10/2021	11:10
3	M3333-03	124030	1	100.01	0.00	08/10/2021	11:18
4	M3333-05	124019	1	100.04	0.00	08/10/2021	11:25
5	M3333-07	124027	1	100.05	0.00	08/10/2021	11:32
6	M3333-09	124035	1	100.06	0.00	08/10/2021	11:40
7	M3333-11	124042	1	100.01	0.00	08/10/2021	11:48
8	M3334-01	VNJ-235	1	100.03	0.00	08/10/2021	11:55
9	M3335-01	OR-02-080921	1	100.01	0.00	08/10/2021	12:05
10	M3339-01	OK-01-080921	1	100.04	0.00	08/10/2021	12:15
11	M3340-01	205-239-929	1	100.02	0.00	08/10/2021	12:22
12	M3341-01	228-344	1	100.01	0.00	08/10/2021	12:30

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf81021

WorkList ID : 151294

Department : Wet-Chemistry

Date : 08-10-2021 09:41:01

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
08/09/2021	Solid	M3333-01	Paint Filter	Cool 4 deg C	PSEG03	R32	124055	08/09/2021	9095B
08/09/2021	Solid	M3333-03	Paint Filter	Cool 4 deg C	PSEG03	R32	124030	08/09/2021	9095B
08/09/2021	Solid	M3333-05	Paint Filter	Cool 4 deg C	PSEG03	R32	124019	08/09/2021	9095B
08/09/2021	Solid	M3333-07	Paint Filter	Cool 4 deg C	PSEG03	R32	124027	08/09/2021	9095B
08/09/2021	Solid	M3333-09	Paint Filter	Cool 4 deg C	PSEG03	R32	124035	08/09/2021	9095B
08/09/2021	Solid	M3333-11	Paint Filter	Cool 4 deg C	PSEG03	R32	124042	08/09/2021	9095B
08/09/2021	Solid	M3334-01	Paint Filter	Cool 4 deg C	PSEG03	R42	VNU-235	08/09/2021	9095B
08/09/2021	Solid	M3335-01	Paint Filter	Cool 4 deg C	PSEG05	R32	OR-02-080921	08/09/2021	9095B
08/09/2021	Solid	M3339-01	Paint Filter	Cool 4 deg C	PSEG05	R42	OK-01-080921	08/09/2021	9095B
08/09/2021	Solid	M3340-01	Paint Filter	Cool 4 deg C	PSEG03	R41	205-239-929	08/09/2021	9095B
08/09/2021	Solid	M3341-01	Paint Filter	Cool 4 deg C	PSEG03		228-344	08/09/2021	9095B

Date/Time 08/10/21 10:50
 Raw Sample Received by: KS (WC)
 Raw Sample Relinquished by: JRC (WC)

Date/Time 08/10/21 12:35
 Raw Sample Received by: AP (WC)
 Raw Sample Relinquished by: KS (WC)