



PERCENT SOLID

Supervisor: ketankumar
Analyst: jignesh
Date: 8/14/2021

OVENTEMP IN Celsius(°C): 108
Time IN: 17:40
In Date: 08/13/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:00
Out Date: 08/14/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB115833

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M3394-01	SWCS-01-0002	1	1.11	9.92	9.43	94.4	
M3394-04	SWCS-01-0205	2	1.15	9.54	9.04	94.0	
M3394-07	SWCS-01-0510	3	1.15	9.97	9.11	90.2	
M3394-10	SWCS-01-1015	4	1.16	9.98	8.5	83.2	
M3394-13	SWCS-02-0002	5	1.15	9.78	9.29	94.3	
M3394-16	SWCS-02-0205	6	1.15	9.75	8.67	87.4	
M3394-19	SWCS-02-0510	7	1.12	9.87	8.18	80.7	
M3394-22	SWCS-07-0002	8	1.16	9.62	8.82	90.5	
M3397-03	SWCS-07-0205	9	1.18	9.94	8.76	86.5	
M3397-06	SWCS-07-0510	10	1.13	9.59	8.23	83.9	
M3397-09	SWCS-07-1015	11	1.15	9.93	8.87	87.9	
M3397-12	SWCS-06-0002	12	1.14	9.98	9.05	89.5	
M3397-15	SWCS-06-0205	13	1.16	9.56	8.02	81.7	
M3397-18	SWCS-06-0510	14	1.15	9.95	8.96	88.8	
M3397-21	SWCS-06-1015	15	1.16	9.94	8.72	86.1	
M3398-02	2021-08-10-FD-01	16	1.16	9.86	8.76	87.4	
M3398-05	SWCS-05-0002	17	1.12	9.57	9.14	94.9	
M3398-08	SWCS-05-0205	18	1.13	9.66	8.68	88.5	
M3398-11	SWCS-05-0510	19	1.15	9.94	8.99	89.2	
M3398-14	SWCS-04-0002	20	1.16	9.81	9.36	94.8	
M3398-17	SWCS-04-0205	21	1.12	9.64	8.61	87.9	
M3398-17D	SWCS-04-0205DUP	22	1.12	9.66	8.63	87.9	
M3398-20	SWCS-04-0510	23	1.16	9.94	8.19	80.1	
M3400-01	S2-05-B	24	1.2	9.89	8.93	89.0	
M3407-01	25N	25	1.15	9.94	5.1	44.9	
M3407-02	25N	26	1.17	9.97	7.81	75.5	
M3407-04	25S	27	1.1	9.87	4.48	38.5	
M3407-05	25S	28	1.12	9.52	5.88	56.7	



PERCENT SOLID

Supervisor: ketankumar
Analyst: jignesh
Date: 8/14/2021

OVENTEMP IN Celsius(°C): 108
Time IN: 17:40
In Date: 08/13/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:00
Out Date: 08/14/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB115833

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M3407-07	26N	29	1.13	9.71	8.17	82.1	
M3407-08	26N	30	1.13	9.58	8.04	81.8	
M3407-10	26S	31	1.13	9.96	6.49	60.7	
M3407-11	26S	32	1.14	9.94	6.17	57.2	
M3407-13	27N	33	1.16	9.7	7.08	69.3	
M3407-14	27N	34	1.15	9.91	7.09	67.8	
M3407-16	27S	35	1.16	9.97	8.37	81.8	
M3407-17	27S	36	1.15	9.68	8.46	85.7	
M3407-19	28N	37	1.1	9.56	5.7	54.4	
M3407-20	28N	38	1.18	9.6	5.53	51.7	
M3407-22	28S	39	1.18	9.96	8.43	82.6	
M3407-23	28S	40	1.14	9.69	8.15	82.0	
M3407-25	29N	41	1.18	9.66	8.41	85.3	
M3407-26	29N	42	1.12	9.57	8.29	84.9	
M3407-28	29S	43	1.17	9.6	7.98	80.8	
M3407-29	29S	44	1.12	9.88	8.31	82.1	
M3408-01	31S	45	1.17	9.82	9.59	97.3	
M3408-02	31S	46	1.16	9.96	9.6	95.9	
M3408-04	32S	47	1.14	9.54	9.11	94.9	
M3408-05	32S	48	1.19	9.8	9.08	91.6	
M3408-07	33S	49	1.14	9.5	8.93	93.2	
M3408-08	33S	50	1.16	9.97	9.71	97.0	
M3408-10	34S	51	1.15	9.75	8.63	87.0	
M3408-11	34S	52	1.16	9.94	9.06	90.0	
M3408-13	34N	53	1.16	9.77	9.64	98.5	
M3408-14	34N	54	1.13	9.54	9.44	98.8	
M3412-01	PG-1	55	1.16	9.83	6.36	60.0	
M3412-02	PG-2	56	1.16	9.87	5.91	54.5	



PERCENT SOLID

Supervisor: ketankumar
Analyst: jignesh
Date: 8/14/2021

OVENTEMP IN Celsius(°C): 108
Time IN: 17:40
In Date: 08/13/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:00
Out Date: 08/14/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB115833

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M3412-03	PG-3	57	1.12	9.6	8.11	82.4	
M3412-03D	PG-3DUP	58	1.16	9.63	8.12	82.2	
M3418-01	SWCS-13-0510	63	1.14	9.69	6.11	58.1	
M3418-02	SWCS-13-1015	64	1.15	9.94	8.55	84.2	
M3418-03	SWCS-14-0002	65	1.16	9.96	9.02	89.3	
M3418-04	SWCS-14-0205	66	1.17	9.69	8.41	85.0	
M3418-05	SWCS-14-0515	67	1.16	9.64	8.19	82.9	
M3418-06	SWCS-15-0002	68	1.16	9.85	9.19	92.4	
M3418-07	2021-08-12-FD-03	69	1.16	9.7	8.21	82.6	
M3418-08	SWCS-15-0205	70	1.12	9.56	7.64	77.3	
M3418-09	SWCS-15-0510	71	1.15	9.95	2.72	17.8	
M3418-10	SWCS-15-1015	72	1.13	9.93	3.98	32.4	
M3418-11	SWCS-11-0002	73	1.15	9.96	9.63	96.3	
M3418-12	SWCS-11-0205	74	1.14	9.97	9.02	89.2	
M3418-13	SWCS-11-0510	75	1.17	9.84	8.36	82.9	
M3418-14	SWCS-11-1015	76	1.11	9.95	9.26	92.2	
M3418-15	SWCS-12-0002	77	1.11	9.8	9.44	95.9	
M3418-16	SWCS-12-0205	78	1.17	9.75	9.3	94.8	
M3418-17	SWCS-12-0510	79	1.14	9.97	8.98	88.8	
M3418-18	SWCS-12-1015	80	1.15	9.93	9.16	91.2	
M3418-19	SWCS-13-0002	81	1.12	9.67	8.78	89.6	
M3418-20	SWCS-13-0205	82	1.14	9.52	8.55	88.4	
M3418-21	SWCS-17-0003	83	1.17	9.97	8.02	77.8	
M3418-22	SWCS-17-0306	84	1.12	9.8	5.35	48.7	
M3421-01	340	59	1.14	9.85	9.00	90.2	
M3421-02	340	60	1.17	9.57	8.94	92.5	
M3421-03	72-11966	61	1.14	9.98	8.66	85.1	
M3421-04	72-11966	62	1.13	9.71	9.04	92.2	



PERCENT SOLID

Supervisor: ketankumar
Analyst: jignesh
Date: 8/14/2021

OVENTEMP IN Celsius(°C): 108
Time IN: 17:40
In Date: 08/13/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:00
Out Date: 08/14/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB115833

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M3424-01	18N	108	1.15	9.97	9.41	93.7	
M3424-02	18N	109	1.13	9.87	9.12	91.4	
M3424-04	18S	110	1.12	9.63	7.96	80.4	
M3424-05	18S	111	1.12	9.52	8.16	83.8	
M3424-07	19N	112	1.16	9.62	9.26	95.7	
M3424-08	19N	113	1.15	9.58	9.26	96.2	
M3424-10	19S	114	1.14	9.8	8.73	87.6	
M3424-11	19S	115	1.15	9.76	8.62	86.8	
M3424-13	20N	116	1.1	9.66	9.38	96.7	
M3424-14	20N	117	1.18	9.96	9.6	95.9	
M3425-01	20S	118	1.16	9.8	9.03	91.1	
M3425-02	20S	119	1.19	9.62	8.86	91.0	
M3425-04	21N	120	1.16	9.59	9.24	95.8	
M3425-05	21N	121	1.19	9.83	9.33	94.2	
M3425-07	21S	122	1.16	9.82	9.05	91.1	
M3425-08	21S	123	1.17	9.64	8.93	91.6	
M3425-10	22N	124	1.17	9.95	9.43	94.1	
M3425-11	22N	125	1.18	9.63	9.09	93.6	
M3425-13	22S	126	1.18	9.54	7.74	78.5	
M3425-14	22S	127	1.16	9.98	8.64	84.8	
M3425-16	23N	128	1.19	9.75	8.67	87.4	
M3425-17	23N	129	1.18	9.65	8.35	84.7	
M3425-19	23S	130	1.19	9.56	8.3	84.9	
M3425-20	23S	131	1.1	9.59	8.29	84.7	
M3429-01	WC-1	85	1.13	9.97	9.04	89.5	
M3429-03	WC-1-EPH-2	86	1.12	9.75	8.94	90.6	
M3429-04	WC-2	87	1.16	9.72	8.27	83.1	
M3429-06	WC-2-EPH-2	88	1.1	9.94	8.73	86.3	



PERCENT SOLID

Supervisor: ketankumar
Analyst: jignesh
Date: 8/14/2021

OVENTEMP IN Celsius(°C): 108
Time IN: 17:40
In Date: 08/13/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:00
Out Date: 08/14/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB115833

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M3429-07	WC-3	89	1.15	9.63	8.72	89.3	
M3429-09	WC-3-EPH-2	90	1.13	9.81	8.65	86.6	
M3431-01	1	91	1.18	9.72	9.54	97.9	
M3431-02	2	92	1.19	9.6	9.53	99.2	
M3431-03	3	93	1.15	9.6	9.5	98.8	
M3431-04	4	94	1.15	9.77	9.57	97.7	
M3431-05	5	95	1.12	9.71	9.66	99.4	
M3431-06	6	96	1.16	9.62	9.05	93.3	
M3431-07	7	97	1.18	9.97	9.00	89.0	
M3432-05	SVOC-GPC-BLANK	98	1.00	2.00	2.00	100.0	
M3432-06	PEST-GPC-BLANK	99	1.00	2.00	2.00	100.0	
M3432-07	PEST-GPC-BLANK-SPIKE	100	1.00	2.00	2.00	100.0	
M3432-08	PCB-GPC-BLANK	101	1.00	2.00	2.00	100.0	
M3432-09	PCB-GPC-BLANK-SPIKE	102	1.00	2.00	2.00	100.0	
M3432-10	SVOC-GPC2-BLANK	103	1.00	2.00	2.00	100.0	
M3432-11	PEST-GPC2-BLANK	104	1.00	2.00	2.00	100.0	
M3432-12	PEST-GPC2-BLANK-SPIKE	105	1.00	2.00	2.00	100.0	
M3432-13	PCB-GCP2-BLANK	106	1.00	2.00	2.00	100.0	
M3432-14	PCB-GCP2-BLANK-SPIKE	107	1.00	2.00	2.00	100.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$