



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB115901

Reviewed By: ketankumar
Supervisor Review By: apatel
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	M3428-02	SB-01-COMP	1	100.05	0.00	08/17/2021	10:45
2	M3428-02DUP	SB-01-COMPDUP	1	100.03	0.00	08/17/2021	10:52
3	M3428-05	SB-02-COMP	1	100.01	0.00	08/17/2021	11:02
4	M3428-08	SB-03-COMP	1	100.04	0.00	08/17/2021	11:10
5	M3428-11	SB-04-COMP	1	100.06	0.00	08/17/2021	11:18
6	M3428-14	SB-05-COMP	1	100.02	0.00	08/17/2021	11:25
7	M3428-17	SB-06-COMP	1	100.03	0.00	08/17/2021	11:32
8	M3438-01	RBR-2520561	1	100.05	0.00	08/17/2021	11:40
9	M3438-03	CHRT-26855	1	100.03	0.00	08/17/2021	11:48
10	M3439-01	HD-SOIL-COMP	1	100.01	0.00	08/17/2021	11:55
11	M3441-01	WC-4	1	100.03	0.00	08/17/2021	12:05
12	M3441-04	WC-5	1	100.02	0.00	08/17/2021	12:15

WORKLIST(Hardcopy Internal Chain)

LB115901

WorkList Name : pf81721 WorkList ID : 151506 Department : Wet-Chemistry Date : 08-17-2021 08:56:01

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
08/11/2021	Solid	M3428-02	Paint Filter	Cool 4 deg C	LIRO01	D52	SB-01-COMP	08/11/2021	9095B
08/11/2021	Solid	M3428-05	Paint Filter	Cool 4 deg C	LIRO01	D52	SB-02-COMP	08/11/2021	9095B
08/11/2021	Solid	M3428-08	Paint Filter	Cool 4 deg C	LIRO01	D52	SB-03-COMP	08/11/2021	9095B
08/12/2021	Solid	M3428-11	Paint Filter	Cool 4 deg C	LIRO01	D52	SB-04-COMP	08/12/2021	9095B
08/12/2021	Solid	M3428-14	Paint Filter	Cool 4 deg C	LIRO01	D52	SB-05-COMP	08/12/2021	9095B
08/12/2021	Solid	M3428-17	Paint Filter	Cool 4 deg C	LIRO01	D52	SB-06-COMP	08/12/2021	9095B
08/16/2021	Solid	M3438-01	Paint Filter	Cool 4 deg C	PSEG03	D61	RBR-2520561	08/16/2021	9095B
08/16/2021	Solid	M3438-03	Paint Filter	Cool 4 deg C	PSEG03	D61	CHRT-26855	08/16/2021	9095B
08/16/2021	Solid	M3439-01	Paint Filter	Cool 4 deg C	PSEG05	D61	HD-SOIL-COMP	08/16/2021	9095B
08/16/2021	Solid	M3441-01	Paint Filter	Cool 4 deg C	PSEG03	D61	WC-4	08/16/2021	9095B
08/16/2021	Solid	M3441-04	Paint Filter	Cool 4 deg C	PSEG03	D61	WC-5	08/16/2021	9095B

Date/Time 08/17/21 10:30
 Raw Sample Received by: KS(WC)
 Raw Sample Relinquished by: RJ C EX-1-(ab)

Date/Time 08/17/21 12:20
 Raw Sample Received by: RJ C EX-1-(ab)
 Raw Sample Relinquished by: KS(WC)