



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 8/30/2021

OVENTEMP IN Celsius(°C): 108
Time IN: 16:30
In Date: 08/27/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:30
Out Date: 08/28/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116049

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M3564-01	VNJ-237	1	1.15	9.76	5.07	45.5	GEL MATRIX
M3564-02	VNJ-237	2	1.16	9.96	6.00	55.0	
M3569-01	S-1	3	1.18	9.94	8.82	87.2	
M3569-02	S-2	4	1.12	9.55	8.6	88.7	
M3569-03	S-1A	5	1.17	9.92	9.07	90.3	
M3569-04	S-2A	6	1.15	9.97	9.22	91.5	
M3571-01	BL-1	7	1.15	9.6	9.47	98.5	
M3571-03	BL-1A	8	1.19	9.93	9.5	95.1	
M3572-01	B-1-S-1	9	1.15	9.95	9.11	90.5	
M3572-02	B-3-S-1	10	1.17	9.66	9.05	92.8	
M3572-02D	B-3-S-1DUP	11	1.16	9.69	9.07	92.7	
M3575-01	DRUM-1-3-18B	12	1.14	9.92	8.00	78.1	
M3581-05	SVOC-GPC-BLANK	13	1.00	2.00	2.00	100.0	
M3581-06	PEST-GPC-BLANK	14	1.00	2.00	2.00	100.0	
M3581-07	PEST-GPC-BLANK-SPIKE	15	1.00	2.00	2.00	100.0	
M3581-08	PCB-GPC-BLANK	16	1.00	2.00	2.00	100.0	
M3581-09	PCB-GPC-BLANK-SPIKE	17	1.00	2.00	2.00	100.0	
M3581-10	SVOC-GPC2-BLANK	18	1.00	2.00	2.00	100.0	
M3581-11	PEST-GPC2-BLANK	19	1.00	2.00	2.00	100.0	
M3581-12	PEST-GPC2-BLANK-SPIKE	20	1.00	2.00	2.00	100.0	
M3581-13	PCB-GCP2-BLANK	21	1.00	2.00	2.00	100.0	
M3581-14	PCB-GCP2-BLANK-SPIKE	22	1.00	2.00	2.00	100.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$