



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB116082

Reviewed By: ketankumar
Supervisor Review By: apatel
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	M3574-01	TPR-12-13-COMP	1	100.02	0.00	08/31/2021	09:32
2	M3574-01DUP	TPR-12-13-COMPDUP	1	100.04	0.00	08/31/2021	09:40
3	M3597-01	RO-124030	1	100.03	0.00	08/31/2021	09:48
4	M3597-03	RO-PSC124042	1	100.01	0.00	08/31/2021	09:55
5	M3602-09	TP-1COMP	1	100.06	0.00	08/31/2021	10:05

WORKLIST(Hardcopy Internal Chain)

LB 116082

WorkList Name : PF83121 WorkList ID : 151895 Department : Wet-Chemistry Date : 08-31-2021 09:11:10

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
08/27/2021	Solid	M3574-01	Paint Filter	Cool 4 deg C	PSEG03	E31	TPR-12-13-COMP	08/27/2021	9095B
08/30/2021	Solid	M3597-01	Paint Filter	Cool 4 deg C	PSEG03	H11	RO-124030	08/30/2021	9095B
08/30/2021	Solid	M3597-03	Paint Filter	Cool 4 deg C	PSEG03	H11	RO-PSC124042	08/30/2021	9095B
08/30/2021	Solid	M3602-09	Paint Filter	Cool 4 deg C	PSEG03	H11	TP-1COMP	08/30/2021	9095B

Date/Time 08/31/21 09:15
 Raw Sample Received by: KS (WC)
 Raw Sample Relinquished by: RJ CPA-104

Date/Time 08/31/21 10:10
 Raw Sample Received by: RJ CPA-104
 Raw Sample Relinquished by: FS (WC)