



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB116114

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M3609-01	EO-01-083121	1	100.05	0.00	09/01/2021	15:40
2	M3609-01DUP	EO-01-083121DUP	1	100.03	0.00	09/01/2021	15:48
3	M3609-03	EO-03-083121	1	100.01	0.00	09/01/2021	15:55
4	M3614-01	NB-8-083121	1	100.06	0.00	09/01/2021	16:05
5	M3615-01	TPR-10-COMP	1	100.02	0.00	09/01/2021	16:15
6	M3616-01	CL-01-083121	1	100.01	0.00	09/01/2021	16:22

WORKLIST(Hardcopy Internal Chain)

LB116114

WorkList Name : PF9121 WorkList ID : 151945 Department : Wet-Chemistry Date : 09-01-2021 15:25:30

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
08/31/2021	Solid	M3609-01	Paint Filter	Cool 4 deg C	PSEG05	H12	EO-01-083121	08/31/2021	9095B
08/31/2021	Solid	M3609-03	Paint Filter	Cool 4 deg C	PSEG05	H12	EO-03-083121	08/31/2021	9095B
08/31/2021	Solid	M3614-01	Paint Filter	Cool 4 deg C	PSEG05	H12	NB-8-083121	08/31/2021	9095B
08/30/2021	Solid	M3615-01	Paint Filter	Cool 4 deg C	PSEG03	H12	TPR-10-COMP	08/30/2021	9095B
08/31/2021	Solid	M3616-01	Paint Filter	Cool 4 deg C	PSEG05	H12	CL-01-083121	08/31/2021	9095B

Date/Time 09/01/21 15:30
 Raw Sample Received by: KS (WC)
 Raw Sample Relinquished by: JA (WC)

Date/Time 09/01/21 16:30
 Raw Sample Received by: JP (WC)
 Raw Sample Relinquished by: KS (WC)