



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 9/7/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 14:00
In Date: 09/02/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:06
Out Date: 09/03/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116120

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M3633-01	GB6G1	1	1.14	9.96	9.65	96.5	
M3633-02	GB6G2	2	1.15	9.51	9.19	96.2	
M3633-03	GB6G3	3	1.15	9.68	9.34	96.0	
M3633-04	GB6G4	4	1.16	9.89	9.5	95.5	
M3633-05	GB6G5	5	1.14	9.5	9.19	96.3	
M3633-06	GB6G6	6	1.16	9.62	9.29	96.1	
M3633-07	GB6G7	7	1.15	9.54	9.29	97.0	
M3633-08	GB6G8	8	1.19	9.87	9.6	96.9	
M3633-09	GB6G9	9	1.16	9.84	9.57	96.9	
M3633-10	GB6H0	10	1.15	9.95	9.69	97.0	
M3633-11	GB6H1	11	1.12	9.71	9.46	97.1	
M3633-12	GB6H2	12	1.17	9.87	9.75	98.6	
M3633-13	GB6H2D	13	1.17	9.87	9.75	98.6	
M3633-14	GB6H2S	14	1.17	9.87	9.75	98.6	
M3633-15	GB6H3	15	1.18	9.77	9.54	97.3	
M3633-16	GB6H4	16	1.14	9.97	9.71	97.1	
M3633-17	GB6H5	17	1.14	9.94	9.62	96.4	
M3633-18	GB6H6	18	1.15	9.59	9.34	97.0	
M3633-19	GB6H7	19	1.13	9.82	9.57	97.1	
M3633-20	GB6H8	20	1.18	9.98	9.66	96.4	
M3633-21	GB6H9	21	1.16	9.95	9.4	93.7	
M3633-22	GB6J0	22	1.13	9.6	9.15	94.7	
M3633-23	GB6J3	23	1.00	2.00	2.00	100.0	P.E. SAMPLE

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$