



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB116255

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M3685-01	327	1	100.05	0.00	09/10/2021	13:25
2	M3685-01DUP	327DUP	1	100.03	0.00	09/10/2021	13:32
3	M3691-01	OK-03-090921	1	100.04	0.00	09/10/2021	13:40
4	M3709-01	250EM-DISPOSAL-1	1	100.02	0.00	09/10/2021	13:48
5	M3709-04	250EM-DISPOSAL-2	1	100.01	0.00	09/10/2021	13:55

WORKLIST(Hardcopy Internal Chain)

LB116255

WorkList Name : pf91021 WorkList ID : 152151 Department : Wet-Chemistry Date : 09-10-2021 12:30:39

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
09/09/2021	Solid	M3685-01	B Paint Filter	Cool 4 deg C	PSEG03	H33	327	09/09/2021	9095B
09/09/2021	Solid	M3691-01	B Paint Filter	Cool 4 deg C	PSEG05	H33	OK-03-090921	09/09/2021	9095B
09/09/2021	Solid	M3709-01	A Paint Filter	Cool 4 deg C	NOBI03	H41	250EM-DISPOSAL-1	09/09/2021	9095B
09/09/2021	Solid	M3709-04	B Paint Filter	Cool 4 deg C	NOBI03	H41	250EM-DISPOSAL-2	09/09/2021	9095B

Date/Time 09/10/21 13:15
 Raw Sample Received by: KS(wc)
 Raw Sample Relinquished by: JP(wc)

Date/Time 09/10/21 14:00
 Raw Sample Received by: JP(wc)
 Raw Sample Relinquished by: KS(wc)