



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 9/20/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 09/17/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:35
Out Date: 09/18/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116363

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M3770-01	NAPL-05-(29-31)	1	1.16	9.75	8.05	80.2	
M3770-02	NAPL-05-(20-22)	2	1.16	9.92	9.11	90.8	
M3770-03	SUP-VST-01-(13-15)	3	1.15	9.95	8.77	86.6	
M3770-04	DUPLICATE-1	4	1.16	9.95	8.14	79.4	
M3770-05	NAPL-5-SIDEWALL-END-POINT-(10-12)	5	1.16	9.91	8.51	84.0	
M3772-01	PRE-CLASS-WASTE-1	6	1.18	9.64	8.4	85.3	
M3772-03	WASTE-PRE-CLASS	7	1.17	9.72	8.4	84.6	
M3775-01	PE-1	18	1.14	9.63	8.56	87.4	
M3775-02	PE-2	19	1.13	9.81	9.3	94.1	
M3775-03	PE-2D	20	1.15	9.56	9.03	93.7	
M3775-04	PE-3	21	1.12	9.64	8.1	81.9	
M3775-05	PE-4	22	1.16	9.98	9.21	91.3	
M3775-06	PE-5	23	1.13	9.73	9.12	92.9	
M3775-07	PE-6	24	1.19	9.56	8.79	90.8	
M3775-08	PE-7	25	1.1	9.81	9.19	92.9	
M3784-05	SVOC-GPC-BLANK	8	1.00	2.00	2.00	100.0	
M3784-06	PEST-GPC-BLANK	9	1.00	2.00	2.00	100.0	
M3784-07	PEST-GPC-BLANK-SPIKE	10	1.00	2.00	2.00	100.0	
M3784-08	PCB-GPC-BLANK	11	1.00	2.00	2.00	100.0	
M3784-09	PCB-GPC-BLANK-SPIKE	12	1.00	2.00	2.00	100.0	
M3784-10	SVOC-GPC2-BLANK	13	1.00	2.00	2.00	100.0	
M3784-11	PEST-GPC2-BLANK	14	1.00	2.00	2.00	100.0	
M3784-12	PEST-GPC2-BLANK-SPIKE	15	1.00	2.00	2.00	100.0	
M3784-13	PCB-GCP2-BLANK	16	1.00	2.00	2.00	100.0	
M3784-14	PCB-GCP2-BLANK-SPIKE	17	1.00	2.00	2.00	100.0	
M3785-01	PCB-091421-SR-01	26	1.00	2.00	2.00	100.0	CAULKING SAMPLE
M3785-02	PCB-091421-SR-02	27	1.00	2.00	2.00	100.0	CAULKING SAMPLE
M3786-01	CHRT-26878	28	1.18	9.65	8.67	88.4	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 9/20/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 09/17/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:35
Out Date: 09/18/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116363

Table with 8 columns: Lab ID, Client SampleID, Dish #, Dish Wt (g) (A), Dish + Sample Wt (g) (B), Dish+Dry Sample Wt (g) (C), % Solid, Comments. Rows include samples like M3786-03, M3792-01, M3797-01, etc.



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 9/20/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 09/17/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:35
Out Date: 09/18/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116363

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M3803-05	26160-EPH-2	56	1.14	9.63	5.24	48.3	GEL MATRIX
M3804-01	CL-01-091721	57	1.16	9.96	9.39	93.5	
M3804-02	CL-01-091721-EPH-2	58	1.16	9.88	9.27	93.0	
M3804-02D	CL-01-091721-EPH-2DUP	59	1.15	9.9	9.29	93.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$