



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 9/21/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 14:30
In Date: 09/20/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:09
Out Date: 09/21/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116386

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M3805-01	EWX18	1	1.15	9.96	9.28	92.3	
M3805-02	EWX19	2	1.16	9.76	8.26	82.6	
M3805-03	EWX20	3	1.14	9.67	8.43	85.5	
M3805-04	EWX21	4	1.15	9.91	8.25	81.1	
M3805-05	EWX22	5	1.15	9.94	8.42	82.7	
M3805-06	EWX23	6	1.12	9.83	8.24	81.7	
M3805-07	EWX24	7	1.16	9.9	8.83	87.8	
M3805-08	EWX25	8	1.16	9.83	8.65	86.4	
M3805-09	EWX26	9	1.15	9.96	8.87	87.6	
M3805-10	EWX27	10	1.13	9.7	8.17	82.1	
M3805-11	EWX28	11	1.14	9.85	8.35	82.8	
M3805-12	EWX29	12	1.16	9.77	8.3	82.9	
M3805-13	EWX30	13	1.16	9.89	8.39	82.8	
M3805-14	EWX31	14	1.11	9.5	8.65	89.9	
M3805-15	EWX32	15	1.16	9.96	9.22	91.6	
M3805-16	EWX33	16	1.18	9.97	9.09	90.0	
M3805-17	EWX34	17	1.13	9.71	8.48	85.7	
M3805-18	EWX35	18	1.17	9.97	8.88	87.6	
M3805-19	EWX36	19	1.18	9.7	8.36	84.3	
M3805-20	EWX37	20	1.13	9.81	8.23	81.8	
M3805-21	EWX37D	21	1.13	9.81	8.23	81.8	
M3805-22	EWX37S	22	1.13	9.81	8.23	81.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$