



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 9/22/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 14:00
In Date: 09/21/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 09/22/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116402

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M3810-01	EWXB0	1	1.16	9.7	8.39	84.7	
M3810-02	EWXB1	2	1.18	9.88	8.52	84.4	
M3810-03	EWXB2	3	1.14	9.77	8.29	82.9	
M3810-04	EWXB3	4	1.12	9.51	8.32	85.8	
M3810-05	EWXB4	5	1.13	9.68	8.57	87.0	
M3810-06	EWXB5	6	1.11	9.55	8.42	86.6	
M3810-07	EWXB6	7	1.15	9.96	8.97	88.8	
M3810-08	EWXB7	8	1.18	9.5	8.28	85.3	
M3810-09	EWXB8	9	1.13	9.82	8.46	84.3	
M3810-10	EWXB9	10	1.17	9.66	8.56	87.0	
M3810-11	EWXC0	11	1.16	9.77	8.59	86.3	
M3810-12	EWXC1	12	1.15	9.77	8.5	85.3	
M3810-13	EWXC2	13	1.16	9.79	8.7	87.4	
M3810-14	EWXC3	14	1.14	9.6	8.48	86.8	
M3810-15	EWXC4	15	1.17	9.59	8.23	83.8	
M3810-16	EWXC5	16	1.13	9.88	8.51	84.3	
M3810-17	EWXC6	17	1.14	9.58	8.46	86.7	
M3810-18	EWXC7	18	1.15	9.7	8.11	81.4	
M3810-19	EWXC8	19	1.18	9.57	8.17	83.3	
M3810-20	EWXD0	20	1.14	9.81	8.67	86.9	
M3810-21	EWXD0D	21	1.14	9.81	8.67	86.9	
M3810-22	EWXD0S	22	1.14	9.81	8.67	86.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$