



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 9/23/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 13:00
In Date: 09/22/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:46
Out Date: 09/23/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116432

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M3839-04	EWXG2	1	1.14	9.59	8.89	91.7	
M3839-05	EWXG3	2	1.16	9.62	9.09	93.7	
M3839-06	EWXG4	3	1.15	9.91	9.07	90.4	
M3839-07	EWXG5	4	1.14	9.93	8.85	87.7	
M3839-08	EWXG6	5	1.15	9.5	8.67	90.1	
M3839-09	EWXG7	6	1.16	9.92	9.26	92.5	
M3839-10	EWXG8	7	1.12	9.62	8.42	85.9	
M3839-11	EWXG9	8	1.14	9.96	8.51	83.6	
M3839-12	EWXH0	9	1.12	9.57	8.47	87.0	
M3839-13	EWXH1	10	1.16	9.55	8.33	85.5	
M3839-14	EWXH2	11	1.14	9.72	8.47	85.4	
M3839-15	EWXH3	12	1.16	9.81	8.55	85.4	
M3839-16	EWXH4	13	1.16	9.84	8.38	83.2	
M3839-17	EWXH5	14	1.16	9.66	8.49	86.2	
M3839-18	EWXH6	15	1.14	9.98	8.71	85.6	
M3839-19	EWXH7	16	1.15	9.95	8.47	83.2	
M3839-20	EWXH8	17	1.17	9.68	8.66	88.0	
M3839-21	EWXH9	18	1.19	9.78	8.5	85.1	
M3839-22	EWXH9D	19	1.19	9.78	8.5	85.1	
M3839-23	EWXH9S	20	1.19	9.78	8.5	85.1	
M3839-24	EWY52	21	1.13	9.7	8.69	88.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$