



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 9/23/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 13:10
In Date: 09/22/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:48
Out Date: 09/23/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116433

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M3840-01	EWXJ0	1	1.19	9.65	8.68	88.5	
M3840-02	EWXJ0D	2	1.19	9.65	8.68	88.5	
M3840-03	EWXJ0S	3	1.19	9.65	8.68	88.5	
M3840-04	EWXJ1	4	1.12	9.5	8.65	89.9	
M3840-05	EWXJ2	5	1.13	9.56	8.79	90.9	
M3840-06	EWXJ3	6	1.16	9.59	8.65	88.8	
M3840-07	EWXJ4	7	1.15	9.93	8.83	87.5	
M3840-08	EWXJ5	8	1.16	9.64	8.47	86.2	
M3840-09	EWXJ6	9	1.17	9.69	8.66	87.9	
M3840-10	EWXJ7	10	1.19	9.62	8.39	85.4	
M3840-11	EWXJ8	11	1.15	9.5	8.32	85.9	
M3840-12	EWXJ9	12	1.16	9.59	8.48	86.8	
M3840-13	EWXK0	13	1.18	9.65	8.41	85.4	
M3840-14	EWXK1	14	1.1	9.58	8.25	84.3	
M3840-15	EWXK2	15	1.1	9.69	8.21	82.8	
M3840-16	EWXK3	16	1.13	9.83	8.22	81.5	
M3840-17	EWXK4	17	1.13	9.55	8.59	88.6	
M3840-18	EWXK5	18	1.13	9.59	8.23	83.9	
M3840-19	EWXK6	19	1.11	9.86	8.44	83.8	
M3840-20	EWXK7	20	1.15	9.74	8.41	84.5	
M3840-21	EWXK8	21	1.19	9.52	8.45	87.2	
M3840-22	EWXK9	22	1.17	9.98	8.55	83.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$