



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 9/23/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 13:34
In Date: 09/22/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 09/23/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116436

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M3842-01	EWXN0	1	1.13	9.59	8.44	86.4	
M3842-02	EWXN1	2	1.15	9.65	8.38	85.1	
M3842-03	EWXN2	3	1.14	9.67	8.38	84.9	
M3842-04	EWXN3	4	1.12	9.9	8.45	83.5	
M3842-05	EWXN4	5	1.16	9.81	8.66	86.7	
M3842-06	EWXN5	6	1.15	9.97	9.05	89.6	
M3842-07	EWXN6	7	1.16	9.6	8.48	86.7	
M3842-08	EWXN7	8	1.18	9.73	8.25	82.7	
M3842-09	EWXN7D	9	1.18	9.73	8.25	82.7	
M3842-10	EWXN7S	10	1.18	9.73	8.25	82.7	
M3842-11	EWXN8	11	1.15	9.74	8.43	84.7	
M3842-12	EWXN9	12	1.16	9.83	8.45	84.1	
M3842-13	EWXP0	13	1.16	9.68	8.3	83.8	
M3842-15	EWXY4	14	1.16	9.5	8.08	83.0	
M3842-16	EWXY5	15	1.17	9.97	8.76	86.3	
M3842-17	EWXY6	16	1.16	9.86	8.35	82.6	
M3842-18	EWXY7	17	1.14	9.94	8.75	86.5	
M3842-19	EWXY8	18	1.17	9.6	7.92	80.1	
M3842-20	EWXY9	19	1.12	9.52	8.19	84.2	
M3842-21	EWXZ0	20	1.13	9.56	8.37	85.9	
M3842-22	EWXZ1	21	1.14	9.95	8.89	88.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$