



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB116475

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M3832-01	TP-B	1	100.05	0.00	09/23/2021	16:05
2	M3832-01DUP	TP-BDUP	1	100.02	0.00	09/23/2021	16:12
3	M3838-01	OR-02-092121	1	100.04	0.00	09/23/2021	16:20
4	M3860-02	PT-SOIL	1	100.05	0.00	09/23/2021	16:28
5	M3870-01	TP-C	1	100.01	0.00	09/23/2021	16:35
6	M3881-01	OK-01-092221	1	100.03	0.00	09/23/2021	16:45

WORKLIST(Hardcopy Internal Chain)

LB116475

WorkList Name : pf92321 WorkList ID : 152525 Department : Wet-Chemistry Date : 09-23-2021 09:10:34

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
09/21/2021	Solid	M3832-01	Paint Filter	Cool 4 deg C	PSEG03	J12	TP-B	09/21/2021	9095B
09/21/2021	Solid	M3838-01	Paint Filter	Cool 4 deg C	PSEG05	J12	OR-02-092121	09/21/2021	9095B
09/21/2021	Solid	M3860-02	Paint Filter	Cool 4 deg C	PSEG03	J11	PT-SOIL	09/21/2021	9095B
09/22/2021	Solid	M3870-01	Paint Filter	Cool 4 deg C	PSEG03	J21	TP-C	09/22/2021	9095B
09/22/2021	Solid	M3881-01	Paint Filter	Cool 4 deg C	PSEG05	J21	OK-01-092221	09/22/2021	9095B

Date/Time 09/23/21 15:55
 Raw Sample Received by: KS (wc)
 Raw Sample Relinquished by: JP (wc)

Date/Time 09/23/21 16:50
 Raw Sample Received by: JP (wc)
 Raw Sample Relinquished by: KS (wc)