

**PERCENT SOLID**

Supervisor: ketankumar

Analyst: jignesh

Date: 9/25/2021

OVENTEMP IN Celsius(°C): 107

Time IN: 13:40

In Date: 09/24/2021

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:00

Out Date: 09/25/2021

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB116491

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M3853-01	EX388	1	1.14	9.64	8.7	88.9	
M3853-02	EX389	2	1.15	9.95	8.76	86.5	
M3853-03	EX390	3	1.19	9.9	8.56	84.6	
M3853-04	EX391	4	1.14	9.96	8.82	87.1	
M3853-05	EX392	5	1.18	9.88	8.6	85.3	
M3853-06	EX393	6	1.12	9.53	8.27	85.0	
M3853-07	EX394	7	1.16	9.57	8.66	89.2	
M3853-08	EX395	8	1.18	9.82	8.66	86.6	
M3853-09	EX396	9	1.19	9.52	8.29	85.2	
M3853-10	EX397	10	1.16	9.84	8.94	89.6	
M3853-11	EX399	11	1.16	9.68	8.78	89.4	
M3853-12	EX3A0	12	1.17	9.7	8.56	86.6	
M3853-13	EX3A1	13	1.19	9.84	8.54	85.0	
M3853-14	EX3A5	14	1.14	9.89	8.96	89.4	
M3853-15	EX3A6	15	1.16	9.72	8.73	88.4	
M3853-16	EX3A7	16	1.18	9.7	8.59	87.0	
M3853-17	EX3A8	17	1.16	9.89	8.96	89.3	
M3853-18	EX3A9	18	1.15	9.82	8.64	86.4	
M3853-19	EX3B0	19	1.14	9.64	8.42	85.6	
M3853-20	EX3B0D	20	1.14	9.64	8.42	85.6	
M3853-21	EX3B0S	21	1.14	9.64	8.42	85.6	
M3853-22	EX3B1	22	1.12	9.53	8.31	85.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$