



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 10/11/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 12:25
In Date: 09/25/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:03
Out Date: 09/26/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116506

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M3856-01	EWXQ9	1	1.19	9.78	8.7	87.4	
M3856-02	EWXR0	2	1.19	9.87	8.71	86.6	
M3856-03	EWXR1	3	1.14	9.96	8.72	85.9	
M3856-04	EWXR2	4	1.15	9.73	8.32	83.6	
M3856-05	EWXR3	5	1.12	9.69	8.37	84.6	
M3856-06	EWXR3D	6	1.12	9.69	8.37	84.6	
M3856-07	EWXR3S	7	1.12	9.69	8.37	84.6	
M3856-08	EWXR4	8	1.14	9.88	8.65	85.9	
M3856-09	EWXR5	9	1.13	9.74	8.7	87.9	
M3856-10	EWXR6	10	1.19	9.84	8.69	86.7	
M3856-11	EWXR7	11	1.15	9.97	8.71	85.7	
M3856-12	EWXR8	12	1.13	9.58	8.29	84.7	
M3856-13	EWXR9	13	1.15	9.66	8.35	84.6	
M3856-14	EWXS0	14	1.13	9.57	8.41	86.3	
M3856-15	EWXS1	15	1.15	9.98	8.64	84.8	
M3856-16	EWXS2	16	1.15	9.77	8.44	84.6	
M3856-17	EWXS3	17	1.11	9.71	8.47	85.6	
M3856-18	EWXS4	18	1.14	9.95	8.72	86.0	
M3856-19	EWXS5	19	1.11	9.78	8.4	84.1	
M3856-20	EWXS6	20	1.19	9.75	8.58	86.3	
M3856-21	EWXS7	21	1.14	9.97	8.55	83.9	
M3856-22	EWXS8	22	1.19	9.66	8.44	85.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$