



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 9/27/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 12:45
In Date: 09/25/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 09/26/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116508

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M3857-01	EWXS9	1	1.14	9.95	8.85	87.5	
M3857-02	EWXT0	2	1.13	9.63	8.28	84.1	
M3857-03	EWXT1	3	1.15	9.72	8.86	90.0	
M3857-04	EWXT2	4	1.18	9.73	8.89	90.2	
M3857-05	EWXT3	5	1.14	9.64	8.74	89.4	
M3857-06	EWXT3D	6	1.14	9.64	8.74	89.4	
M3857-07	EWXT3S	7	1.14	9.64	8.74	89.4	
M3857-08	EWXT4	8	1.14	9.64	8.24	83.5	
M3857-09	EWXT5	9	1.16	9.98	8.84	87.1	
M3857-10	EWXT6	10	1.14	9.72	8.34	83.9	
M3857-11	EWXT7	11	1.15	9.6	8.28	84.4	
M3857-12	EWXT8	12	1.13	9.94	8.85	87.6	
M3857-13	EWXT9	13	1.14	9.5	8.46	87.6	
M3857-14	EWXW0	14	1.16	9.89	8.63	85.6	
M3857-15	EWXW1	15	1.14	9.52	8.56	88.5	
M3857-16	EWXW2	16	1.14	9.78	8.64	86.8	
M3857-17	EWXW3	17	1.14	9.69	8.58	87.0	
M3857-18	EWXW4	18	1.19	9.69	8.29	83.5	
M3857-19	EWXW5	19	1.14	9.54	8.15	83.5	
M3857-20	EWXW6	20	1.15	9.85	8.33	82.5	
M3857-21	EWXW7	21	1.19	9.78	8.00	79.3	
M3857-22	EWXW8	22	1.13	9.61	8.47	86.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$