



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: jignesh

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB116511

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M3904-01	JET-GROUT-SPOIL-STEEL	1	100.03	0.00	09/25/2021	09:10
2	M3904-01DUP	JET-GROUT-SPOIL-STEEL	1	100.02	0.00	09/25/2021	09:18
3	M3907-01	RT-3032	1	100.01	0.00	09/25/2021	09:25
4	M3907-03	RO-206	1	100.03	0.00	09/25/2021	09:35
5	M3913-01	TR-05-092321	1	100.04	0.00	09/25/2021	09:45
6	M3916-01	CONC-1	1	100.01	0.00	09/25/2021	09:50
7	M3916-04	CONC-2	1	100.01	0.00	09/25/2021	10:10
8	M3916-07	CONC-3	1	100.01	0.00	09/25/2021	10:20
9	M3916-10	CONC-4	1	100.01	0.00	09/25/2021	10:29
10	M3916-13	BRICK-1	1	100.04	0.00	09/25/2021	10:37
11	M3917-01	TP-3	1	100.01	0.00	09/25/2021	10:45
12	M3917-04	TP-6	1	100.01	0.00	09/25/2021	11:00
13	M3917-07	TP-10	1	100.01	0.00	09/25/2021	11:10
14	M3917-10	TP-9	1	100.03	0.00	09/25/2021	11:22
15	M3917-13	TP-8	1	100.01	0.00	09/25/2021	11:30
16	M3917-16	TP-4	1	100.03	0.00	09/25/2021	11:37
17	M3917-19	TP-1	1	100.02	0.00	09/25/2021	11:45
18	M3934-01	TP-5	1	100.01	0.00	09/25/2021	12:00
19	M3934-04	TP-7	1	100.01	0.00	09/25/2021	12:10
20	M3934-07	TP-2	1	100.02	0.00	09/25/2021	12:25
21	M3935-01	TP-2	1	100.03	0.00	09/25/2021	12:37
22	M3935-04	TP-1-S	1	100.02	0.00	09/25/2021	13:00
23	M3939-02	TS-1	1	100.01	0.00	09/25/2021	13:10
24	M3941-01	124019	1	100.02	0.00	09/25/2021	13:25
25	M3941-03	124042	1	100.02	0.00	09/25/2021	13:35
26	M3943-01	WC-DB-1	1	100.02	0.00	09/25/2021	13:45
27	M3943-04	WC-TV-1	1	100.02	0.00	09/25/2021	14:00
28	M3946-01	PL-05-092421	1	100.02	0.00	09/25/2021	14:10
29	M3947-01	CL-02-092421	1	100.03	0.00	09/25/2021	14:20
30	M3950-01	HD-02-092421	1	100.02	0.00	09/25/2021	14:30
31	M3950-01DUP	HD-02-092421DUP	1	100.03	0.00	09/25/2021	14:39

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf92421

WorkList ID : 152573

Department : Wet-Chemistry

Date : 09-24-2021 08:55:49

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
09/23/2021	Solid	M3904-01	Paint Filter	Cool 4 deg C	TULL02	J23	JET-GROUT-SPOIL-STE	09/23/2021	9095B
09/23/2021	Solid	M3907-01	Paint Filter	Cool 4 deg C	PSEG03	J23	RT-3032	09/23/2021	9095B
09/23/2021	Solid	M3907-03	Paint Filter	Cool 4 deg C	PSEG03	J23	RO-206	09/23/2021	9095B
09/23/2021	Solid	M3913-01	Paint Filter	Cool 4 deg C	PSEG05	J23	TR-05-092321	09/23/2021	9095B
09/23/2021	Solid	M3916-01	Paint Filter	Cool 4 deg C	PSEG03	J23	CONC-1	09/23/2021	9095B
09/23/2021	Solid	M3916-04	Paint Filter	Cool 4 deg C	PSEG03	J23	CONC-2	09/23/2021	9095B
09/23/2021	Solid	M3916-07	Paint Filter	Cool 4 deg C	PSEG03	J23	CONC-3	09/23/2021	9095B
09/23/2021	Solid	M3916-10	Paint Filter	Cool 4 deg C	PSEG03	J23	CONC-4	09/23/2021	9095B
09/23/2021	Solid	M3916-13	Paint Filter	Cool 4 deg C	PSEG03	J23	BRICK-1	09/23/2021	9095B
09/23/2021	Solid	M3917-01	Paint Filter	Cool 4 deg C	PSEG03	J23	TP-3	09/23/2021	9095B
09/23/2021	Solid	M3917-04	Paint Filter	Cool 4 deg C	PSEG03	J23	TP-6	09/23/2021	9095B
09/23/2021	Solid	M3917-07	Paint Filter	Cool 4 deg C	PSEG03	J23	TP-10	09/23/2021	9095B
09/23/2021	Solid	M3917-10	Paint Filter	Cool 4 deg C	PSEG03	J23	TP-9	09/23/2021	9095B
09/23/2021	Solid	M3917-13	Paint Filter	Cool 4 deg C	PSEG03	J23	TP-8	09/23/2021	9095B
09/23/2021	Solid	M3917-16	Paint Filter	Cool 4 deg C	PSEG03	J23	TP-4	09/23/2021	9095B
09/23/2021	Solid	M3917-19	Paint Filter	Cool 4 deg C	PSEG03		TP-1	09/23/2021	9095B
09/24/2021	Solid	M3934-01	Paint Filter	Cool 4 deg C	PSEG03	J31	TP-5	09/24/2021	9095B
09/24/2021	Solid	M3934-04	Paint Filter	Cool 4 deg C	PSEG03	J31	TP-7	09/24/2021	9095B
09/24/2021	Solid	M3934-07	Paint Filter	Cool 4 deg C	PSEG03	J31	TP-2	09/24/2021	9095B
09/24/2021	Solid	M3935-01	Paint Filter	Cool 4 deg C	PSEG03	J33	TP-2	09/24/2021	9095B
09/24/2021	Solid	M3935-04	Paint Filter	Cool 4 deg C	PSEG03	J33	TP-1-S	09/24/2021	9095B
09/24/2021	Solid	M3939-02	Paint Filter	Cool 4 deg C	ENTA05	J32	TS-1	09/24/2021	9095B

Date/Time 09/24/21 09:10

Date/Time 09/24/21 16:45

Raw Sample Received by: JO (WOC)

Raw Sample Received by: RJCFZL-Lab

Raw Sample Relinquished by: RJCFZL-Lab

Raw Sample Relinquished by: JO (WOC)

WORKLIST(Hardcopy Internal Chain)

W 116511

WorkList Name : pf92421 WorkList ID : 152573 Department : Wet-Chemistry Date : 09-24-2021 08:55:49

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
09/24/2021	Solid	M3941-01	Paint Filter	Cool 4 deg C	PSEG03	J33	124019	09/24/2021	9095B
09/24/2021	Solid	M3941-03	Paint Filter	Cool 4 deg C	PSEG03	J33	124042	09/24/2021	9095B
09/24/2021	Solid	M3943-01	Paint Filter	Cool 4 deg C	PSEG03	J33	WC-DB-1	09/24/2021	9095B
09/24/2021	Solid	M3943-04	Paint Filter	Cool 4 deg C	PSEG03	J33	WC-TV-1	09/24/2021	9095B
09/24/2021	Solid	M3946-01	Paint Filter	Cool 4 deg C	PSEG05	J33	PL-05-092421	09/24/2021	9095B
09/24/2021	Solid	M3947-01	Paint Filter	Cool 4 deg C	PSEG05	J33	CL-02-092421	09/24/2021	9095B
09/24/2021	Solid	M3950-01	Paint Filter	Cool 4 deg C	PSEG05	J41	HD-02-092421	09/24/2021	9095B

Date/Time 09/24/21 09:00
 Raw Sample Received by: JO WY
 Raw Sample Relinquished by: RJ CFA-1966

Date/Time 09/24/21 14:45
 Raw Sample Received by: RJ CFA-1966
 Raw Sample Relinquished by: JO WY