



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 9/27/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 14:20
In Date: 09/25/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 09/26/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116513

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M3883-01	EX3D2	1	1.15	9.64	8.33	84.6	
M3883-02	EX3D3	2	1.15	9.61	8.51	87.0	
M3883-03	EX3D4	3	1.16	9.64	8.52	86.8	
M3883-04	EX3D5	4	1.16	9.74	8.5	85.5	
M3883-05	EX3D6	5	1.16	9.54	8.56	88.3	
M3883-06	EX3D7	6	1.14	9.96	8.98	88.9	
M3883-07	EX3D8	7	1.16	9.71	8.56	86.5	
M3883-08	EX3D9	8	1.18	9.74	8.91	90.3	
M3883-09	EX3E0	9	1.19	9.92	8.84	87.6	
M3883-10	EX3E1	10	1.18	9.94	8.78	86.8	
M3883-11	EX3E2	11	1.1	9.68	8.55	86.8	
M3883-12	EX3E3	12	1.19	9.84	8.76	87.5	
M3883-13	EX3E4	13	1.14	9.59	8.42	86.2	
M3883-14	EX3E5	14	1.15	9.94	8.85	87.6	
M3883-15	EX3E6	15	1.15	9.97	8.96	88.5	
M3883-16	EX3E7	16	1.15	9.72	8.57	86.6	
M3883-17	EX3E8	17	1.14	9.83	8.58	85.6	
M3883-18	EX3E9	18	1.19	9.81	8.48	84.6	
M3883-19	EX3F0	19	1.12	9.83	8.56	85.4	
M3883-20	EX3F1	20	1.19	9.79	8.7	87.3	
M3883-21	EX3F1D	21	1.19	9.79	8.7	87.3	
M3883-22	EX3F1S	22	1.19	9.79	8.7	87.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$