



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB116651

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	M4032-01	NB-08-100121	1	100.03	0.00	10/05/2021	08:40
2	M4032-01DUP	NB-08-100121DUP	1	100.02	0.00	10/05/2021	08:48
3	M4035-02	12000	1	100.03	0.00	10/05/2021	08:55
4	M4035-04	286	1	100.05	0.00	10/05/2021	09:05
5	M4035-06	205	1	100.04	0.00	10/05/2021	09:15
6	M4035-08	369	1	100.03	0.00	10/05/2021	09:22
7	M4035-10	213	1	100.04	0.00	10/05/2021	09:30
8	M4035-12	218	1	100.01	0.00	10/05/2021	09:38
9	M4036-02	211	1	100.06	0.00	10/05/2021	09:45
10	M4037-01	HD-01-100121	1	100.02	0.00	10/05/2021	09:52
11	M4039-01	TP-1	1	100.03	0.00	10/05/2021	10:00
12	M4039-04	TP-2	1	100.01	0.00	10/05/2021	10:10
13	M4042-01	EO-01-100121	1	100.04	0.00	10/05/2021	10:18
14	M4042-03	EO-02-100121	1	100.03	0.00	10/05/2021	10:25
15	M4042-05	EO-03-100121	1	100.04	0.00	10/05/2021	10:32
16	M4043-01	HR-03-100121	1	100.02	0.00	10/05/2021	10:40
17	M4043-03	HR-04-100121	1	100.02	0.00	10/05/2021	10:48
18	M4047-01	149-ENV-1-GRAB	1	100.01	0.00	10/05/2021	10:55
19	M4047-03	149-ENV-1-COMPOSITE	1	100.03	0.00	10/05/2021	11:05
20	M4057-01	SHAFT-17B-SP	1	100.01	0.00	10/05/2021	11:15
21	M4060-01	TR-05-100421	1	100.03	0.00	10/05/2021	11:22
22	M4064-01	357	1	100.02	0.00	10/05/2021	11:30
23	M4065-01	CL-01-100121	1	100.06	0.00	10/05/2021	11:38
24	M4067-01	SU-02-100421	1	100.04	0.00	10/05/2021	11:45
25	M4067-03	SU-03-100421	1	100.01	0.00	10/05/2021	11:52
26	M4067-03DUP	SU-03-100421DUP	1	100.03	0.00	10/05/2021	12:00

LB 116657

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF10421 WorkList ID : 152880 Department : Wet-Chemistry Date : 10-04-2021 10:48:05

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
10/01/2021	Solid	M4047-01	Paint Filter	Cool 4 deg C	JPCL01	J61	149-ENV-1-GRAB	10/01/2021	9095B
10/01/2021	Solid	M4047-03	Paint Filter	Cool 4 deg C	JPCL01	J61	149-ENV-1-COMPOSITE	10/01/2021	9095B
10/01/2021	Solid	M4035-02	Paint Filter	Cool 4 deg C	PSEG03	J61	12000	10/01/2021	9095B
10/01/2021	Solid	M4035-04	Paint Filter	Cool 4 deg C	PSEG03	J61	286	10/01/2021	9095B
10/01/2021	Solid	M4035-06	Paint Filter	Cool 4 deg C	PSEG03	J61	205	10/01/2021	9095B
10/01/2021	Solid	M4035-08	Paint Filter	Cool 4 deg C	PSEG03	J61	369	10/01/2021	9095B
10/01/2021	Solid	M4035-10	Paint Filter	Cool 4 deg C	PSEG03	J61	213	10/01/2021	9095B
10/01/2021	Solid	M4035-12	Paint Filter	Cool 4 deg C	PSEG03	J61	218	10/01/2021	9095B
10/01/2021	Solid	M4036-02	Paint Filter	Cool 4 deg C	PSEG03	J61	211	10/01/2021	9095B
10/01/2021	Solid	M4039-01	Paint Filter	Cool 4 deg C	PSEG03	J61	TP-1	10/01/2021	9095B
10/01/2021	Solid	M4039-04	Paint Filter	Cool 4 deg C	PSEG03	J61	TP-2	10/01/2021	9095B
10/04/2021	Solid	M4064-01	Paint Filter	Cool 4 deg C	PSEG03	J61	357	10/04/2021	9095B
10/01/2021	Solid	M4032-01	Paint Filter	Cool 4 deg C	PSEG05	J61	NB-08-100121	10/01/2021	9095B
10/01/2021	Solid	M4037-01	Paint Filter	Cool 4 deg C	PSEG05	J61	HD-01-100121	10/01/2021	9095B
10/01/2021	Solid	M4042-01	Paint Filter	Cool 4 deg C	PSEG05	J61	EO-01-100121	10/01/2021	9095B
10/01/2021	Solid	M4042-03	Paint Filter	Cool 4 deg C	PSEG05	J61	EO-02-100121	10/01/2021	9095B
10/01/2021	Solid	M4042-05	Paint Filter	Cool 4 deg C	PSEG05	J61	EO-03-100121	10/01/2021	9095B
10/01/2021	Solid	M4043-01	Paint Filter	Cool 4 deg C	PSEG05	J61	HR-03-100121	10/01/2021	9095B
10/01/2021	Solid	M4043-03	Paint Filter	Cool 4 deg C	PSEG05	J61	HR-04-100121	10/01/2021	9095B
10/04/2021	Solid	M4060-01	Paint Filter	Cool 4 deg C	PSEG05	J61	TR-05-100421	10/04/2021	9095B
10/04/2021	Solid	M4065-01	Paint Filter	Cool 4 deg C	PSEG05	J11	CL-01-100121	10/04/2021	9095B
10/04/2021	Solid	M4067-01	Paint Filter	Cool 4 deg C	PSEG05	J11	SU-02-100421	10/04/2021	9095B

Date/Time 10/05/21 08:30 Date/Time 10/05/21 12:05
Raw Sample Received by: KS (WC) Raw Sample Received by: JG (WC)
Raw Sample Relinquished by: JG (WC) Raw Sample Relinquished by: KS (WC)

WORKLIST(Hardcopy Internal Chain)

LB116651

WorkList Name : PF10421 WorkList ID : 152880 Department : Wet-Chemistry Date : 10-04-2021 10:48:05

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
10/04/2021	Solid	M4067-03	Paint Filter	Cool 4 deg C	PSEG05	J11	SU-03-100421	10/04/2021	9095B
10/04/2021	Solid	M4057-01	Paint Filter	Cool 4 deg C	WALS01	J61	SHAFT-17B-SP	10/04/2021	9095B

Date/Time 10/05/21 08:30
 Raw Sample Received by: KS (WC)
 Raw Sample Relinquished by: KS (WC)

Date/Time 10/05/21 12:05
 Raw Sample Received by: KS (WC)
 Raw Sample Relinquished by: KS (WC)