



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 10/27/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 14:00
In Date: 10/07/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 10/08/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116719

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M3994-23	YAS63	1	1.15	9.74	9.58	98.1	
M3994-24	YAS64	2	1.12	9.53	9.38	98.2	
M3994-25	YAS65	3	1.19	9.58	9.21	95.6	
M3994-26	YAS91	4	1.15	9.5	9.32	97.8	
M3994-27	YAS92	5	1.14	9.53	8.74	90.6	
M3994-28	YAS93	6	1.16	9.62	9.51	98.7	
M3994-29	YAS67	7	1.14	9.88	9.72	98.2	
M3994-30	YAS68	8	1.11	9.85	9.66	97.8	
M3994-31	YAS69	9	1.14	9.69	9.26	95.0	
M3994-32	YAS71	10	1.15	9.66	9.3	95.8	
M3994-33	YAS71D	11	1.15	9.66	9.3	95.8	
M3994-34	YAS71S	12	1.15	9.66	9.3	95.8	
M3994-35	YAS73	13	1.17	9.92	8.96	89.0	
M3994-36	YAS75	14	1.13	9.56	9.42	98.3	
M3994-37	YAS76	15	1.16	9.84	9.63	97.6	
M3994-38	YAS77	16	1.18	9.63	9.3	96.1	
M3994-39	YAS79	17	1.14	9.64	9.44	97.6	
M3994-40	YAS80	18	1.18	9.77	9.15	92.8	
M3994-41	YAS81	19	1.16	9.66	9.09	93.3	
M3994-42	YAS83	20	1.15	9.54	8.76	90.7	
M3994-43	YAS84	21	1.17	9.63	9.38	97.0	
M3994-44	YAS85	22	1.1	9.71	9.00	91.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$