



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB116749

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	M4072-01	VNJ-207	1	100.05	0.00	10/08/2021	08:52
2	M4072-01DUP	VNJ-207DUP	1	100.03	0.00	10/08/2021	09:00
3	M4075-01	OR-02-100521	1	100.01	0.00	10/08/2021	09:10
4	M4081-01	356	1	100.03	0.00	10/08/2021	09:18
5	M4081-03	VNJ-237	1	100.04	0.00	10/08/2021	09:25
6	M4107-01	OK-01-100621	1	100.02	0.00	10/08/2021	09:32
7	M4111-01	GROWS-1	1	100.06	0.00	10/08/2021	09:40
8	M4111-04	GROWS-2	1	100.02	0.00	10/08/2021	09:48
9	M4111-07	GROWS-3	1	100.01	0.00	10/08/2021	09:55
10	M4113-01	TP-1	1	100.03	0.00	10/08/2021	10:05
11	M4113-03	TP-2	1	100.04	0.00	10/08/2021	10:12
12	M4113-05	TP-3	1	100.06	0.00	10/08/2021	10:20
13	M4113-07	TP-4	1	100.02	0.00	10/08/2021	10:28
14	M4113-09	TP-5	1	100.01	0.00	10/08/2021	10:35
15	M4118-01	CONCRETE-100621-01	1	100.03	0.00	10/08/2021	10:42
16	M4118-04	CONCRETE-100621-02	1	100.05	0.00	10/08/2021	10:50
17	M4127-01	CHRT-27080	1	100.04	0.00	10/08/2021	10:58
18	M4127-03	CHRT-27051	1	100.03	0.00	10/08/2021	11:05
19	M4127-05	CHRT-20426	1	100.03	0.00	10/08/2021	11:12
20	M4127-08	CHRT-26644	1	100.01	0.00	10/08/2021	11:20
21	M4129-01	OK-02-100721	1	100.06	0.00	10/08/2021	11:28
22	M4135-02	TS-2	1	100.03	0.00	10/08/2021	11:35
23	M4135-04	TS-3	1	100.04	0.00	10/08/2021	11:42
24	M4136-01	PSC124055	1	100.02	0.00	10/08/2021	11:50
25	M4136-03	PSC124027	1	100.03	0.00	10/08/2021	11:58
26	M4136-05	PSC124042	1	100.04	0.00	10/08/2021	12:05
27	M4142-01	ETGI-330	1	100.01	0.00	10/08/2021	12:12
28	M4142-01DUP	ETGI-330DUP	1	100.03	0.00	10/08/2021	12:20

LB116749

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF10821 WorkList ID : 153097 Department : Wet-Chemistry Date : 10-08-2021 08:40:15

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
10/05/2021	Solid	M4072-01	Paint Filter	Cool 4 deg C	PSEG03	J61	VNJ-207	10/05/2021	9095B
10/05/2021	Solid	M4075-01	Paint Filter	Cool 4 deg C	PSEG05	J11	OR-02-100521	10/05/2021	9095B
10/05/2021	Solid	M4081-01	Paint Filter	Cool 4 deg C	PSEG03	J61	356	10/05/2021	9095B
10/05/2021	Solid	M4081-03	Paint Filter	Cool 4 deg C	PSEG03	J61	VNJ-237	10/05/2021	9095B
10/06/2021	Solid	M4107-01	Paint Filter	Cool 4 deg C	PSEG05	K11	OK-01-100621	10/06/2021	9095B
10/06/2021	Solid	M4111-01	Paint Filter	Cool 4 deg C	PSEG03	K11	GROWS-1	10/06/2021	9095B
10/06/2021	Solid	M4111-04	Paint Filter	Cool 4 deg C	PSEG03	K11	GROWS-2	10/06/2021	9095B
10/06/2021	Solid	M4111-07	Paint Filter	Cool 4 deg C	PSEG03	K11	GROWS-3	10/06/2021	9095B
10/06/2021	Solid	M4113-01	Paint Filter	Cool 4 deg C	PSEG03	K11	TP-1	10/06/2021	9095B
10/06/2021	Solid	M4113-03	Paint Filter	Cool 4 deg C	PSEG03	K11	TP-2	10/06/2021	9095B
10/06/2021	Solid	M4113-05	Paint Filter	Cool 4 deg C	PSEG03	K11	TP-3	10/06/2021	9095B
10/06/2021	Solid	M4113-07	Paint Filter	Cool 4 deg C	PSEG03	K11	TP-4	10/06/2021	9095B
10/06/2021	Solid	M4113-09	Paint Filter	Cool 4 deg C	PSEG03	K11	TP-5	10/06/2021	9095B
10/06/2021	Solid	M4118-01	Paint Filter	Cool 4 deg C	PSEG03	K11	CONCRETE-100621-01	10/06/2021	9095B
10/06/2021	Solid	M4118-04	Paint Filter	Cool 4 deg C	PSEG03	K11	CONCRETE-100621-02	10/06/2021	9095B
10/07/2021	Solid	M4127-01	Paint Filter	Cool 4 deg C	PSEG03	K11	CHRT-27080	10/07/2021	9095B
10/07/2021	Solid	M4127-03	Paint Filter	Cool 4 deg C	PSEG03	K11	CHRT-27051	10/07/2021	9095B
10/07/2021	Solid	M4127-05	Paint Filter	Cool 4 deg C	PSEG03	K11	CHRT-20426	10/07/2021	9095B
10/07/2021	Solid	M4127-08	Paint Filter	Cool 4 deg C	PSEG03	K11	CHRT-26644	10/07/2021	9095B
10/07/2021	Solid	M4129-01	Paint Filter	Cool 4 deg C	PSEG05	K11	OK-02-100721	10/07/2021	9095B
10/07/2021	Solid	M4135-02	Paint Filter	Cool 4 deg C	ENTA05	K11	TS-2	10/07/2021	9095B
10/07/2021	Solid	M4135-04	Paint Filter	Cool 4 deg C	ENTA05	K11	TS-3	10/07/2021	9095B

Date/Time 10/08/21 08:45 Date/Time 10/04/21 12:25
Raw Sample Received by: KS (WC) Raw Sample Received by: JO (WC)
Raw Sample Relinquished by: JA (WC) Raw Sample Relinquished by: KS (WC)

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF10821 WorkList ID : 153097 Department : Wet-Chemistry Date : 10-08-2021 08:40:15

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
10/07/2021	Solid	M4136-01	Paint Filter	Cool 4 deg C	PSEG03	K11	PSC124055	10/07/2021	9095B
10/07/2021	Solid	M4136-03	Paint Filter	Cool 4 deg C	PSEG03	K11	PSC124027	10/07/2021	9095B
10/07/2021	Solid	M4136-05	Paint Filter	Cool 4 deg C	PSEG03	K11	PSC124042	10/07/2021	9095B
10/07/2021	Solid	M4142-01	Paint Filter	Cool 4 deg C	PSEG03	K11	ETGI-330	10/07/2021	9095B

Date/Time 10/08/21
 Raw Sample Received by: JS(WC)
 Raw Sample Relinquished by: JS(WC)

Date/Time 10/08/21 12:25
 Raw Sample Received by: JP (WC)
 Raw Sample Relinquished by: JS(WC)