



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 10/12/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 14:00
In Date: 10/11/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 10/12/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116772

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M4070-01	EW7D4	1	1.14	9.61	8.11	82.3	
M4070-02	EW7D4MS	2	1.14	9.61	8.11	82.3	
M4070-03	EW7D4MSD	3	1.14	9.61	8.11	82.3	
M4070-04	EW7D5	4	1.16	9.76	8.23	82.2	
M4070-05	EW7D6	5	1.14	9.94	7.25	69.4	
M4070-06	EW7D7	6	1.15	9.97	9.47	94.3	
M4070-07	EW7E0	7	1.18	9.68	7.29	71.9	
M4070-08	EW7E1	8	1.15	9.6	8.19	83.3	
M4070-09	EW7E6	9	1.18	9.94	7.48	71.9	
M4070-10	EW7E7	10	1.13	9.71	7.62	75.6	
M4070-11	EW7E8	11	1.13	9.63	8.11	82.1	
M4070-12	EW7E9	12	1.15	9.95	8.75	86.4	
M4070-13	EW7F0	13	1.13	9.85	7.72	75.6	
M4070-14	VHBLK001	14	1.00	2.00	2.00	100.0	VHBLK
M4070-15	EW7D8	15	1.16	9.93	8.39	82.4	
M4070-16	EW7D9	16	1.16	9.97	8.67	85.2	
M4070-17	EW7E2	17	1.14	9.98	8.95	88.3	
M4070-18	EW7E3	18	1.11	9.66	8.25	83.5	
M4070-19	EW7E4	19	1.18	9.83	7.06	68.0	
M4070-20	EW7E5	20	1.17	9.95	8.41	82.5	
M4070-21	EW7F1	21	1.16	9.97	8.54	83.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$