



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 10/19/2021

OVENTEMP IN Celsius(°C): 107  
Time IN: 14:10  
In Date: 10/18/2021  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:05  
Out Date: 10/19/2021  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB116880

| Lab ID   | Client SampleID | Dish # | Dish Wt (g) (A) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments |
|----------|-----------------|--------|-----------------|--------------------------|----------------------------|---------|----------|
| M4207-01 | C0B03           | 1      | 1.17            | 9.67                     | 8.14                       | 82.0    |          |
| M4207-02 | C0B48           | 2      | 1.13            | 9.83                     | 8.99                       | 90.3    |          |
| M4207-05 | VHBLK002        | 3      | 1.00            | 2.00                     | 2.00                       | 100.0   | VHBLK    |
| M4207-06 | C0AC3           | 4      | 1.14            | 9.61                     | 7.88                       | 79.6    |          |
| M4207-07 | C0AY7           | 5      | 1.16            | 9.59                     | 7.92                       | 80.2    |          |
| M4207-08 | C0AZ7           | 6      | 1.18            | 9.86                     | 8.82                       | 88.0    |          |
| M4207-09 | C0B22           | 7      | 1.12            | 9.74                     | 8.44                       | 84.9    |          |
| M4207-10 | C0B23           | 8      | 1.16            | 9.94                     | 9.02                       | 89.5    |          |
| M4207-11 | C0B33           | 9      | 1.19            | 9.79                     | 8.91                       | 89.8    |          |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$