



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 10/19/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 14:30
In Date: 10/18/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 10/19/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116886

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M4263-01	GB7E6	1	1.18	9.65	8.32	84.3	
M4263-02	GB7E7	2	1.16	9.69	9.00	91.9	
M4263-03	GB7E8	3	1.16	9.57	8.71	89.8	
M4263-04	GB7E9	4	1.11	9.93	9.17	91.4	
M4263-05	GB7F0	5	1.14	9.96	9.61	96.0	
M4263-06	GB7F1	6	1.16	9.57	8.66	89.2	
M4263-07	GB7F2	7	1.13	9.53	9.03	94.0	
M4263-08	GB7F3	8	1.16	9.92	9.42	94.3	
M4263-09	GB7F4	9	1.17	9.77	9.28	94.3	
M4263-10	GB7F5	10	1.12	9.51	9.08	94.9	
M4263-11	GB7F6	11	1.17	9.7	9.08	92.7	
M4263-12	GB7F7	12	1.18	9.67	9.18	94.2	
M4263-13	GB7F8	13	1.19	9.62	8.42	85.8	
M4263-14	GB7F9	14	1.17	9.57	8.46	86.8	
M4263-15	GB7G0	15	1.19	9.82	9.3	94.0	
M4263-16	GB7G1	16	1.15	9.77	8.9	89.9	
M4263-17	GB7G2	17	1.18	9.8	8.71	87.4	
M4263-18	GB7G2MS	18	1.18	9.8	8.71	87.4	
M4263-19	GB7G2MSD	19	1.18	9.8	8.71	87.4	
M4263-20	GB7G3	20	1.17	9.81	8.97	90.3	
M4263-21	GB7G4	21	1.18	9.78	9.13	92.4	
M4263-22	GB7G5	22	1.13	9.98	9.31	92.4	
M4263-23	VHBLK001	23	1.00	2.00	2.00	100.0	VHBLK

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$