



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 10/27/2021

OVENTEMP IN Celsius(°C): 106
Time IN: 14:00
In Date: 10/19/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:45
Out Date: 10/20/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB116899

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M4210-01	JDGC1	1	1.16	9.96	8.98	88.9	
M4210-02	JDGC2	2	1.14	9.97	8.96	88.6	
M4210-03	JDGC3	3	1.15	9.89	8.54	84.6	
M4210-04	JDGC4	4	1.00	2.00	2.00	100.0	
M4210-05	JDGC7	5	1.16	9.69	9.09	93.0	
M4210-06	JDGC9	6	1.14	9.97	9.58	95.6	
M4210-07	JDGD0	7	1.15	9.95	9.43	94.1	
M4210-08	JDGD2	8	1.13	9.61	8.99	92.7	
M4210-09	JDGD4	9	1.15	9.95	9.77	98.0	
M4210-10	JDGD5	10	1.17	9.9	8.9	88.5	
M4210-11	JDGD9	11	1.12	9.95	9.55	95.5	
M4210-12	JDGE0	12	1.13	9.98	9.59	95.6	
M4210-13	JDGE4	13	1.15	9.55	8.91	92.4	
M4210-14	JDGE4MS	14	1.15	9.55	8.91	92.4	
M4210-15	JDGE4MSD	15	1.15	9.55	8.91	92.4	
M4210-16	JDGE5	16	1.19	9.58	9.19	95.4	
M4210-17	JDGE6	17	1.18	9.9	9.46	95.0	
M4210-18	JDGE8	18	1.14	9.96	9.61	96.0	
M4210-19	JDGF1	19	1.16	9.59	9.21	95.5	
M4210-20	JDGF2	20	1.12	9.64	9.34	96.5	
M4210-21	JDGF3	21	1.15	9.97	9.58	95.6	
M4210-22	JDGG1	22	1.13	9.66	5.05	46.0	
M4210-23	VHBLK001	23	1.00	2.00	2.00	100.0	VHBLK

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$