



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB116907

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	M4248-01	CHVB-0513	1	100.03	35.00	10/19/2021	13:40
2	M4248-01DUP	CHVB-0513DUP	1	100.05	34.00	10/19/2021	13:48
3	M4248-03	72-12002	1	100.03	0.00	10/19/2021	13:55
4	M4249-01	TP1- (S)	1	100.04	0.00	10/19/2021	14:05
5	M4249-02	TP1- (S)	1	100.06	0.00	10/19/2021	14:12
6	M4249-04	TP1- (D)	1	100.02	0.00	10/19/2021	14:20
7	M4249-05	TP1- (D)	1	100.01	0.00	10/19/2021	14:28
8	M4249-07	TP2- (S)	1	100.04	0.00	10/19/2021	14:35
9	M4249-08	TP2- (S)	1	100.03	0.00	10/19/2021	14:45
10	M4249-10	TP2- (D)	1	100.01	0.00	10/19/2021	14:52
11	M4249-11	TP2- (D)	1	100.05	0.00	10/19/2021	15:00
12	M4252-01	TEST-BA- (1)	1	100.04	0.00	10/19/2021	15:08
13	M4252-04	TEST-BB- (1)	1	100.02	0.00	10/19/2021	15:15
14	M4252-07	MH-CA- (1)	1	100.01	0.00	10/19/2021	15:22
15	M4252-10	MH-CB- (1)	1	100.01	0.00	10/19/2021	15:30
16	M4259-01	WC-1-CS	1	100.02	0.00	10/19/2021	15:38
17	M4259-04	WC-1-BS	1	100.01	0.00	10/19/2021	15:45
18	M4259-07	WC-1-BD	1	100.02	0.00	10/19/2021	15:52
19	M4259-10	WC-1-AS	1	100.04	0.00	10/19/2021	16:00
20	M4260-01	TEST-DA- (1)	1	100.02	0.00	10/19/2021	16:10
21	M4260-04	TEST-DB- (1)	1	100.01	0.00	10/19/2021	16:18
22	M4269-01	RT-4197	1	100.03	0.00	10/19/2021	16:25
23	M4271-01	OK-01-101821	1	100.01	0.00	10/19/2021	16:32
24	M4273-01	R-LA-4/2-WC	1	100.02	0.00	10/19/2021	16:40
25	M4274-01	WC-2-BS	1	100.03	0.00	10/19/2021	16:48
26	M4274-04	WC-2-CS	1	100.06	0.00	10/19/2021	16:55
27	M4274-07	WC-2-DS	1	100.02	0.00	10/19/2021	17:05
28	M4274-07DUP	WC-2-DSDUP	1	100.05	0.00	10/19/2021	17:15

WORKLIST(Hardcopy Internal Chain)

LB 116907

WorkList Name : PF101921

WorkList ID : 153413

Department : Wet-Chemistry

Date : 10-19-2021 13:26:57

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
10/15/2021	Solid	M4248-01	Paint Filter	Cool 4 deg C	PSEG03	K11	CHVB-0513	10/15/2021	9095B
10/15/2021	Solid	M4248-03	Paint Filter	Cool 4 deg C	PSEG03	K11	72-12002	10/15/2021	9095B
10/15/2021	Solid	M4249-01	Paint Filter	Cool 4 deg C	PSEG03	K13	TP1-(S)	10/15/2021	9095B
10/15/2021	Solid	M4249-02	Paint Filter	Cool 4 deg C	PSEG03	K13	TP1-(S)	10/15/2021	9095B
10/15/2021	Solid	M4249-04	Paint Filter	Cool 4 deg C	PSEG03	K13	TP1-(D)	10/15/2021	9095B
10/15/2021	Solid	M4249-05	Paint Filter	Cool 4 deg C	PSEG03	K13	TP1-(D)	10/15/2021	9095B
10/15/2021	Solid	M4249-07	Paint Filter	Cool 4 deg C	PSEG03	K13	TP2-(S)	10/15/2021	9095B
10/15/2021	Solid	M4249-08	Paint Filter	Cool 4 deg C	PSEG03	K13	TP2-(S)	10/15/2021	9095B
10/15/2021	Solid	M4249-10	Paint Filter	Cool 4 deg C	PSEG03	K13	TP2-(D)	10/15/2021	9095B
10/15/2021	Solid	M4249-11	Paint Filter	Cool 4 deg C	PSEG03	K13	TP2-(D)	10/15/2021	9095B
10/14/2021	Solid	M4252-01	Paint Filter	Cool 4 deg C	PSEG03	K21	TEST-BA-(1)	10/14/2021	9095B
10/14/2021	Solid	M4252-04	Paint Filter	Cool 4 deg C	PSEG03	K21	TEST-BB-(1)	10/14/2021	9095B
10/14/2021	Solid	M4252-07	Paint Filter	Cool 4 deg C	PSEG03	K21	MH-CA-(1)	10/14/2021	9095B
10/14/2021	Solid	M4252-10	Paint Filter	Cool 4 deg C	PSEG03	K21	MH-CB-(1)	10/14/2021	9095B
10/15/2021	Solid	M4259-01	Paint Filter	Cool 4 deg C	PSEG03	K21	WC-1-CS	10/15/2021	9095B
10/15/2021	Solid	M4259-04	Paint Filter	Cool 4 deg C	PSEG03	K21	WC-1-BS	10/15/2021	9095B
10/15/2021	Solid	M4259-07	Paint Filter	Cool 4 deg C	PSEG03	K21	WC-1-BD	10/15/2021	9095B
10/15/2021	Solid	M4259-10	Paint Filter	Cool 4 deg C	PSEG03	K21	WC-1-AS	10/15/2021	9095B
10/15/2021	Solid	M4260-01	Paint Filter	Cool 4 deg C	PSEG03	K31	TEST-DA-(1)	10/15/2021	9095B
10/15/2021	Solid	M4260-04	Paint Filter	Cool 4 deg C	PSEG03	K31	TEST-DB-(1)	10/15/2021	9095B
10/18/2021	Solid	M4269-01	Paint Filter	Cool 4 deg C	PSEG03	K31	RT-4197	10/18/2021	9095B
10/18/2021	Solid	M4271-01	Paint Filter	Cool 4 deg C	PSEG05	K31	OK-01-101821	10/18/2021	9095B

Date/Time 10/19/21 13:30
 Raw Sample Received by: KS (WC)
 Raw Sample Relinquished by: JAWOR

Date/Time 10/19/21 17:20
 Raw Sample Received by: JAWOR
 Raw Sample Relinquished by: KS (WC)

WORKLIST(Hardcopy Internal Chain)

LB 116907

WorkList Name : PF101921 WorkList ID : 153413 Department : Wet-Chemistry Date : 10-19-2021 13:26:57

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
10/18/2021	Solid	M4273-01	Paint Filter	Cool 4 deg C	PSEG03	K11	R-LA-4/2-WC	10/18/2021	9095B
10/18/2021	Solid	M4274-01	Paint Filter	Cool 4 deg C	PSEG03	K31	WC-2-BS	10/18/2021	9095B
10/18/2021	Solid	M4274-04	Paint Filter	Cool 4 deg C	PSEG03	K31	WC-2-CS	10/18/2021	9095B
10/18/2021	Solid	M4274-07	Paint Filter	Cool 4 deg C	PSEG03	K31	WC-2-DS	10/18/2021	9095B

Date/Time 10/19/21 13:30
 Raw Sample Received by: KS (WC)
 Raw Sample Relinquished by: AS (WC)

Date/Time 10/19/21 17:20
 Raw Sample Received by: AS (WC)
 Raw Sample Relinquished by: KS (WC)