



## Analytical Summary Report

Analysis Method: 9095B

Reviewed By: jignesh

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB116942

BalanceID: WC SC-4

| Seq | LabID       | ClientID       | Dilution | Weight (g) | Inst. Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|----------------|----------|------------|-------------------------|------------|-----------|
| 1   | M4280-07    | 2081           | 1        | 100.02     | 0.00                    | 10/21/2021 | 08:50     |
| 2   | M4280-07DUP | 2081DUP        | 1        | 100.03     | 0.00                    | 10/21/2021 | 09:10     |
| 3   | M4283-01    | VNJ-231        | 1        | 100.01     | 0.00                    | 10/21/2021 | 09:20     |
| 4   | M4283-04    | CONCRETE-PAD   | 1        | 100.03     | 0.00                    | 10/21/2021 | 09:29     |
| 5   | M4285-01    | MH-EA- (1)     | 1        | 100.01     | 0.00                    | 10/21/2021 | 09:35     |
| 6   | M4285-04    | MH-EB- (1)     | 1        | 100.01     | 0.00                    | 10/21/2021 | 09:45     |
| 7   | M4285-07    | MH-FA- (1)     | 1        | 100.01     | 0.00                    | 10/21/2021 | 09:50     |
| 8   | M4285-10    | MH-GA- (1)     | 1        | 100.02     | 0.00                    | 10/21/2021 | 10:10     |
| 9   | M4285-13    | MH-GB- (1)     | 1        | 100.01     | 0.00                    | 10/21/2021 | 10:15     |
| 10  | M4285-16    | MH-FB- (1)     | 1        | 100.03     | 0.00                    | 10/21/2021 | 10:20     |
| 11  | M4287-02    | EXC-SOIL-A     | 1        | 100.05     | 0.00                    | 10/21/2021 | 10:30     |
| 12  | M4287-06    | EXC-SOIL-B     | 1        | 100.02     | 0.00                    | 10/21/2021 | 10:37     |
| 13  | M4288-01    | SA-01-101921   | 1        | 100.01     | 0.00                    | 10/21/2021 | 10:45     |
| 14  | M4290-01    | TP-1           | 1        | 100.03     | 0.00                    | 10/21/2021 | 11:00     |
| 15  | M4290-04    | TH-BS          | 1        | 100.03     | 0.00                    | 10/21/2021 | 11:11     |
| 16  | M4290-07    | TH-BD          | 1        | 100.03     | 0.00                    | 10/21/2021 | 11:19     |
| 17  | M4290-10    | TH-BBS         | 1        | 100.02     | 0.00                    | 10/21/2021 | 11:25     |
| 18  | M4290-13    | TH-BBD         | 1        | 100.02     | 0.00                    | 10/21/2021 | 11:30     |
| 19  | M4294-01    | WC-2-FS        | 1        | 100.01     | 0.00                    | 10/21/2021 | 11:39     |
| 20  | M4294-04    | WC-2-ES        | 1        | 100.02     | 0.00                    | 10/21/2021 | 11:49     |
| 21  | M4294-07    | WC-2-GS        | 1        | 100.02     | 0.00                    | 10/21/2021 | 12:00     |
| 22  | M4294-10    | WC-2-GD        | 1        | 100.01     | 0.00                    | 10/21/2021 | 12:10     |
| 23  | M4294-13    | WC-2-HS        | 1        | 100.03     | 0.00                    | 10/21/2021 | 12:25     |
| 24  | M4295-01    | RBR-251386     | 1        | 100.01     | 0.00                    | 10/21/2021 | 12:30     |
| 25  | M4297-01    | TR-04-10212021 | 1        | 100.03     | 0.00                    | 10/21/2021 | 12:38     |
| 26  | M4298-01    | NB-08-102021   | 1        | 100.03     | 0.00                    | 10/21/2021 | 13:00     |
| 27  | M4300-01    | TH-CS          | 1        | 100.02     | 0.00                    | 10/21/2021 | 13:10     |
| 28  | M4300-04    | TH-CD          | 1        | 100.02     | 0.00                    | 10/21/2021 | 13:25     |
| 29  | M4300-07    | TH-CCS         | 1        | 100.03     | 0.00                    | 10/21/2021 | 13:35     |
| 30  | M4300-10    | TH-CCD         | 1        | 100.02     | 0.00                    | 10/21/2021 | 13:48     |
| 31  | M4300-10DUP | TH-CCDDUP      | 1        | 100.02     | 0.00                    | 10/21/2021 | 14:00     |

## WORKLIST(Hardcopy Internal Chain)

LB116942

Date : 10-20-2021 17:05:31

Department : Wet-Chemistry

WorkList ID : 153485

WorkList Name : pf102021

| Due Date   | Matrix | Sample   | Test         | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method |
|------------|--------|----------|--------------|--------------|----------|-----------------------------|-----------------|--------------|--------|
| 10/19/2021 | Solid  | M4280-07 | Paint Filter | Cool 4 deg C | PSEG03   | K31                         | 2081            | 10/19/2021   | 9095B  |
| 10/19/2021 | Solid  | M4283-01 | Paint Filter | Cool 4 deg C | PSEG03   | K31                         | VNJ-231         | 10/19/2021   | 9095B  |
| 10/19/2021 | Solid  | M4283-04 | Paint Filter | Cool 4 deg C | PSEG03   | K31                         | CONCRETE-PAD    | 10/19/2021   | 9095B  |
| 10/18/2021 | Solid  | M4285-01 | Paint Filter | Cool 4 deg C | PSEG03   | K11                         | MH-EA-(1)       | 10/18/2021   | 9095B  |
| 10/18/2021 | Solid  | M4285-04 | Paint Filter | Cool 4 deg C | PSEG03   | K11                         | MH-EB-(1)       | 10/18/2021   | 9095B  |
| 10/18/2021 | Solid  | M4285-07 | Paint Filter | Cool 4 deg C | PSEG03   | K11                         | MH-FA-(1)       | 10/18/2021   | 9095B  |
| 10/18/2021 | Solid  | M4285-10 | Paint Filter | Cool 4 deg C | PSEG03   | K11                         | MH-GA-(1)       | 10/18/2021   | 9095B  |
| 10/18/2021 | Solid  | M4285-13 | Paint Filter | Cool 4 deg C | PSEG03   | K11                         | MH-GB-(1)       | 10/18/2021   | 9095B  |
| 10/18/2021 | Solid  | M4285-16 | Paint Filter | Cool 4 deg C | PSEG03   | K11                         | MH-FB-(1)       | 10/18/2021   | 9095B  |
| 10/19/2021 | Solid  | M4287-02 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | EXC-SOIL-A      | 10/19/2021   | 9095B  |
| 10/19/2021 | Solid  | M4287-06 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | EXC-SOIL-B      | 10/19/2021   | 9095B  |
| 10/19/2021 | Solid  | M4288-01 | Paint Filter | Cool 4 deg C | PSEG05   | K31                         | SA-01-101921    | 10/19/2021   | 9095B  |
| 10/19/2021 | Solid  | M4290-01 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | TP-1            | 10/19/2021   | 9095B  |
| 10/19/2021 | Solid  | M4290-04 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | TH-BS           | 10/19/2021   | 9095B  |
| 10/19/2021 | Solid  | M4290-07 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | TH-BD           | 10/19/2021   | 9095B  |
| 10/19/2021 | Solid  | M4290-10 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | TH-BBS          | 10/19/2021   | 9095B  |
| 10/19/2021 | Solid  | M4290-13 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | TH-BBD          | 10/19/2021   | 9095B  |
| 10/19/2021 | Solid  | M4294-01 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | WC-2-FS         | 10/19/2021   | 9095B  |
| 10/19/2021 | Solid  | M4294-04 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | WC-2-ES         | 10/19/2021   | 9095B  |
| 10/19/2021 | Solid  | M4294-07 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | WC-2-GS         | 10/19/2021   | 9095B  |
| 10/19/2021 | Solid  | M4294-10 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | WC-2-GD         | 10/19/2021   | 9095B  |
| 10/19/2021 | Solid  | M4294-13 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | WC-2-HS         | 10/19/2021   | 9095B  |

Date/Time 11/21/21 08:45  
Raw Sample Received by: JACOB  
Raw Sample Relinquished by: KS (cc)

Date/Time 11/21/21 14:10  
Raw Sample Received by:  
Raw Sample Relinquished by: KS (cc)

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf102021

WorkList ID : 153485

Department : Wet-Chemistry

Date : 10-20-2021 17:05:31

| Due Date   | Matrix | Sample   | Test         | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method |
|------------|--------|----------|--------------|--------------|----------|-----------------------------|-----------------|--------------|--------|
| 10/20/2021 | Solid  | M4295-01 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | RBR-251386      | 10/20/2021   | 9095B  |
| 10/20/2021 | Solid  | M4297-01 | Paint Filter | Cool 4 deg C | PSEG05   | K41                         | TR-04-10212021  | 10/20/2021   | 9095B  |
| 10/20/2021 | Solid  | M4298-01 | Paint Filter | Cool 4 deg C | PSEG05   | K41                         | NB-08-102021    | 10/20/2021   | 9095B  |
| 10/20/2021 | Solid  | M4300-01 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | TH-CS           | 10/20/2021   | 9095B  |
| 10/20/2021 | Solid  | M4300-04 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | TH-CD           | 10/20/2021   | 9095B  |
| 10/20/2021 | Solid  | M4300-07 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | TH-CCS          | 10/20/2021   | 9095B  |
| 10/20/2021 | Solid  | M4300-10 | Paint Filter | Cool 4 deg C | PSEG03   | K41                         | TH-CCD          | 10/20/2021   | 9095B  |

Date/Time

11/21/21 08:45

Raw Sample Received by:

JA (WC)

Raw Sample Relinquished by:

KS (WC)

Date/Time

11/21/21 14:10

Raw Sample Received by:

KS (WC)

Raw Sample Relinquished by:

JA (WC)