



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB117006

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	M4325-01	RED-BOX-1-225057	1	100.05	0.00	10/25/2021	11:35
2	M4325-01DUP	RED-BOX-1-225057DUP	1	100.02	0.00	10/25/2021	11:42
3	M4325-03	RED-BOX-2-1934	1	100.04	0.00	10/25/2021	11:50
4	M4329-01	PSC124019	1	100.03	0.00	10/25/2021	11:58
5	M4329-03	PSC124042	1	100.06	0.00	10/25/2021	12:05
6	M4330-01	JET-GROUT-SPOILS	1	100.04	0.00	10/25/2021	12:15
7	M4332-02	BB-SAMPLE-1	1	100.03	0.00	10/25/2021	12:22
8	M4332-06	BB-SAMPLE-2	1	100.01	0.00	10/25/2021	12:30
9	M4332-10	BB-SAMPLE-3	1	100.05	0.00	10/25/2021	12:38
10	M4332-14	BB-SAMPLE-4	1	100.03	0.00	10/25/2021	12:45
11	M4340-01	TH-ES	1	100.02	0.00	10/25/2021	12:52
12	M4340-04	TH-ED	1	100.04	0.00	10/25/2021	13:00
13	M4340-07	TH-EES	1	100.03	0.00	10/25/2021	13:10
14	M4340-10	TH-EED	1	100.01	0.00	10/25/2021	13:20

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf102421 WorkList ID : 153614 Department : Wet-Chemistry Date : 10-24-2021 14:56:47

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
10/22/2021	Solid	M4325-01	Paint Filter	Cool 4 deg C	WALS01	K51	RED-BOX-1-225057	10/22/2021	9095B
10/22/2021	Solid	M4325-03	Paint Filter	Cool 4 deg C	WALS01	K51	RED-BOX-2-1934	10/22/2021	9095B
10/22/2021	Solid	M4329-01	Paint Filter	Cool 4 deg C	PSEG03	K51	PSC124019	10/22/2021	9095B
10/22/2021	Solid	M4329-03	Paint Filter	Cool 4 deg C	PSEG03	K51	PSC124042	10/22/2021	9095B
10/21/2021	Solid	M4330-01	Paint Filter	Cool 4 deg C	TULL02	D11	JET-GROUT-SPOILS	10/21/2021	9095B
10/22/2021	Solid	M4332-02	Paint Filter	Cool 4 deg C	PSEG03	K61	BB-SAMPLE-1	10/22/2021	9095B
10/22/2021	Solid	M4332-06	Paint Filter	Cool 4 deg C	PSEG03	K61	BB-SAMPLE-2	10/22/2021	9095B
10/22/2021	Solid	M4332-10	Paint Filter	Cool 4 deg C	PSEG03	K61	BB-SAMPLE-3	10/22/2021	9095B
10/22/2021	Solid	M4332-14	Paint Filter	Cool 4 deg C	PSEG03	K61	BB-SAMPLE-4	10/22/2021	9095B
10/22/2021	Solid	M4340-01	Paint Filter	Cool 4 deg C	PSEG03	K11	TH-ES	10/22/2021	9095B
10/22/2021	Solid	M4340-04	Paint Filter	Cool 4 deg C	PSEG03	K11	TH-ED	10/22/2021	9095B
10/22/2021	Solid	M4340-07	Paint Filter	Cool 4 deg C	PSEG03	K11	TH-EES	10/22/2021	9095B
10/22/2021	Solid	M4340-10	Paint Filter	Cool 4 deg C	PSEG03	K11	TH-EED	10/22/2021	9095B

Date/Time 10/25/21 11:25
 Raw Sample Received by: KS(wc)
 Raw Sample Relinquished by: JR(wc)

Date/Time 10/25/21 13:25
 Raw Sample Received by: JR(wc)
 Raw Sample Relinquished by: KS(wc)