



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB117091

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	M4367-01	TR-05-102621	1	100.05	0.00	10/29/2021	08:50
2	M4367-01DUP	TR-05-102621DUP	1	100.04	0.00	10/29/2021	08:58
3	M4368-01	HD-02-102621	1	100.03	0.00	10/29/2021	10:05
4	M4372-01	SB-1	1	100.01	0.00	10/29/2021	10:12
5	M4372-03	SB-2	1	100.06	0.00	10/29/2021	10:20
6	M4372-05	SB-3	1	100.04	0.00	10/29/2021	10:28
7	M4372-07	SB-4	1	100.06	0.00	10/29/2021	10:35
8	M4372-09	SB-5	1	100.02	0.00	10/29/2021	10:42
9	M4372-11	SB-6	1	100.03	0.00	10/29/2021	10:50
10	M4372-13	SB-7	1	100.01	0.00	10/29/2021	10:58
11	M4373-01	SU-01-102621	1	100.04	0.00	10/29/2021	11:05
12	M4373-03	SU-04-102621	1	100.01	0.00	10/29/2021	11:12
13	M4388-01	72-12002	1	100.04	0.00	10/29/2021	11:20
14	M4395-01	MH-FFS	1	100.06	0.00	10/29/2021	11:28
15	M4395-04	MH-FFD	1	100.04	0.00	10/29/2021	11:35
16	M4395-07	MH-GGS	1	100.02	0.00	10/29/2021	11:42
17	M4395-10	MH-GGD	1	100.04	0.00	10/29/2021	11:50
18	M4402-01	EO-01-102821	1	100.01	0.00	10/29/2021	11:58
19	M4406-03	CHRT-27334	1	100.02	0.00	10/29/2021	12:05
20	M4406-05	280243	1	100.03	0.00	10/29/2021	12:15

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF102921

WorkList ID : 153799

Department : Wet-Chemistry

Date : 10-29-2021 08:30:15

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
10/26/2021	Solid	M4367-01	Paint Filter	Cool 4 deg C	PSEG05	K11	TR-05-102621	10/26/2021	9095B
10/26/2021	Solid	M4368-01	Paint Filter	Cool 4 deg C	PSEG05	K11	HD-02-102621	10/26/2021	9095B
10/26/2021	Solid	M4372-01	Paint Filter	Cool 4 deg C	PSEG03	K11	SB-1	10/26/2021	9095B
10/26/2021	Solid	M4372-03	Paint Filter	Cool 4 deg C	PSEG03	K11	SB-2	10/26/2021	9095B
10/26/2021	Solid	M4372-05	Paint Filter	Cool 4 deg C	PSEG03	K11	SB-3	10/26/2021	9095B
10/26/2021	Solid	M4372-07	Paint Filter	Cool 4 deg C	PSEG03	K11	SB-4	10/26/2021	9095B
10/26/2021	Solid	M4372-09	Paint Filter	Cool 4 deg C	PSEG03	K11	SB-5	10/26/2021	9095B
10/26/2021	Solid	M4372-11	Paint Filter	Cool 4 deg C	PSEG03	K11	SB-6	10/26/2021	9095B
10/26/2021	Solid	M4372-13	Paint Filter	Cool 4 deg C	PSEG03	K11	SB-7	10/26/2021	9095B
10/26/2021	Solid	M4373-01	Paint Filter	Cool 4 deg C	PSEG05		SU-01-102621	10/26/2021	9095B
10/26/2021	Solid	M4373-03	Paint Filter	Cool 4 deg C	PSEG05		SU-04-102621	10/26/2021	9095B
10/27/2021	Solid	M4388-01	Paint Filter	Cool 4 deg C	PSEG03	K11	72-12002	10/27/2021	9095B
10/27/2021	Solid	M4395-01	Paint Filter	Cool 4 deg C	PSEG03	K11	MH-FFS	10/27/2021	9095B
10/27/2021	Solid	M4395-04	Paint Filter	Cool 4 deg C	PSEG03	K11	MH-FFD	10/27/2021	9095B
10/27/2021	Solid	M4395-07	Paint Filter	Cool 4 deg C	PSEG03	K11	MH-GGS	10/27/2021	9095B
10/27/2021	Solid	M4395-10	Paint Filter	Cool 4 deg C	PSEG03	K11	MH-GGD	10/27/2021	9095B
10/28/2021	Solid	M4402-01	Paint Filter	Cool 4 deg C	PSEG05	K11	EO-01-102821	10/28/2021	9095B
10/28/2021	Solid	M4406-03	Paint Filter	Cool 4 deg C	PSEG03	K11	CHRT-27334	10/28/2021	9095B
10/28/2021	Solid	M4406-05	Paint Filter	Cool 4 deg C	PSEG03	K11	280243	10/28/2021	9095B

Date/Time 10/29/21 08:40
 Raw Sample Received by: KS (WC)
 Raw Sample Relinquished by: RJC (FAT-106)

Date/Time 10/29/21 12:20
 Raw Sample Received by: RJC (FAT-106)
 Raw Sample Relinquished by: KS (WC)