



PERCENT SOLID

Supervisor: mohammad

Analyst: jignesh

Date: 11/1/2021

OVENTEMP IN Celsius(°C): 107

Time IN: 16:15

In Date: 10/29/2021

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:10

Out Date: 10/30/2021

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB117104

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M4414-02	EXA23	1	1.19	8.66	9.85	7.92	77.7	
M4414-03	EXA24	2	1.16	8.81	9.97	8.22	80.1	
M4414-04	EXA25	3	1.14	8.80	9.94	8.04	78.4	
M4414-05	EXA26	4	1.13	8.72	9.85	7.48	72.8	
M4414-06	EXA27	5	1.18	8.53	9.71	7.76	77.1	
M4414-07	EXA28	6	1.18	8.72	9.9	7.76	75.5	
M4414-08	EXA29	7	1.18	8.56	9.74	7.63	75.4	
M4414-09	EXA30	8	1.15	8.81	9.96	8.04	78.2	
M4414-10	EXA31	9	1.16	8.61	9.77	7.87	77.9	
M4414-11	EXA32	10	1.1	8.76	9.86	7.85	77.1	
M4414-12	EXA33	11	1.14	8.83	9.97	7.92	76.8	
M4414-13	EXA34	12	1.13	8.74	9.87	7.69	75.1	
M4414-14	EXA35	13	1.17	8.38	9.55	7.67	77.6	
M4414-15	EXA36	14	1.1	8.77	9.87	7.94	78.0	
M4414-16	EXA37	15	1.18	8.70	9.88	7.83	76.4	
M4414-17	EXA38	16	1.13	8.83	9.96	7.96	77.3	
M4414-18	EXA39	17	1.14	8.77	9.91	7.97	77.9	
M4414-19	EXA40	18	1.16	8.79	9.95	8.06	78.5	
M4414-20	EXA44	19	1.16	8.69	9.85	8.02	78.9	
M4414-21	EXA44D	20	1.16	8.69	9.85	8.02	78.9	
M4414-22	EXA44S	21	1.16	8.69	9.85	8.02	78.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$