



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 11/10/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 11/09/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:33
Out Date: 11/10/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB117277

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M4559-01	GB8A8	1	1.17	8.60	9.77	9.47	96.5	
M4559-02	GB8A9	2	1.16	8.57	9.73	9.63	98.8	
M4559-03	GB8B0	3	1.18	8.65	9.83	9.55	96.8	
M4559-04	GB8B1	4	1.17	8.40	9.57	9.5	99.2	
M4559-05	GB8B2	5	1.13	8.39	9.52	9.25	96.8	
M4559-06	GB8B3	6	1.16	8.39	9.55	9.22	96.1	
M4559-07	GB8B4	7	1.17	8.69	9.86	9.29	93.4	
M4559-08	GB8B5	8	1.11	8.53	9.64	9.00	92.5	
M4559-09	GB8B6	9	1.19	8.63	9.82	9.58	97.2	
M4559-10	GB8B7	10	1.13	8.45	9.58	9.35	97.3	
M4559-11	GB8B8	11	1.19	8.43	9.62	9.5	98.6	
M4559-12	GB8B9	12	1.17	8.46	9.63	9.56	99.2	
M4559-13	GB8C0	13	1.19	8.69	9.88	9.66	97.5	
M4559-14	GB8C1	14	1.17	8.33	9.5	9.25	97.0	
M4559-15	GB8C2	15	1.15	8.73	9.88	9.58	96.6	
M4559-16	GB8C2D	16	1.15	8.73	9.88	9.58	96.6	
M4559-17	GB8C2S	17	1.15	8.73	9.88	9.58	96.6	
M4559-18	GB8C3	18	1.18	8.56	9.74	9.54	97.7	
M4559-19	GB8C4	19	1.18	8.33	9.51	9.26	97.0	
M4559-20	GB8C5	20	1.16	8.78	9.94	9.35	93.3	
M4559-21	GB8C6	21	1.11	8.59	9.7	9.47	97.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$