



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 11/11/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 16:40
In Date: 11/10/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 11/11/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB117297

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M4606-14	OF-3-20211109	1	1.15	8.61	9.76	5.89	55.1	
M4606-15	M4606-14MS	2	1.15	8.61	9.76	5.89	55.1	
M4606-16	M4606-14MSD	3	1.15	8.61	9.76	5.89	55.1	
M4606-17	OF-4-20211109	4	1.13	8.66	9.79	5.9	55.1	
M4606-21	DUP-03-20211109	5	1.19	8.79	9.98	6.9	65.0	
M4607-01	21501	6	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4607-02	207	7	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4607-03	11966	8	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4607-04	368	9	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4612-01	GSMP-EB-ONLY	10	1.18	8.57	9.75	9.05	91.8	
M4612-02	GSMP-EB-ONLY-EPH-2	11	1.14	8.52	9.66	8.81	90.0	
M4619-01	HR-01-111021	12	1.18	8.47	9.65	9.00	92.3	
M4619-02	HR-01-111021-EPH-2	13	1.16	8.60	9.76	9.11	92.4	
M4619-03	HR-02-111021	14	1.11	8.73	9.84	9.5	96.1	
M4619-04	HR-02-111021-EPH-2	15	1.18	8.60	9.78	9.36	95.1	
M4625-01	SU-02-111021	16	1.19	8.44	9.63	9.34	96.6	
M4625-02	SU-02-111021-EPH-2	17	1.12	8.75	9.87	9.23	92.7	
M4625-03	SU-03-111021	18	1.19	8.47	9.66	9.07	93.0	
M4625-04	SU-03-111021-EPH-2	19	1.13	8.46	9.59	9.26	96.1	
M4628-01	LAMINGTON-COMP	35	1.15	8.70	9.85	9.13	91.7	
M4628-02	LAMINGTON-2	36	1.11	8.60	9.71	9.24	94.5	
M4630-01	SB-13E-5.0	20	1.15	8.45	9.6	8.17	83.1	
M4630-02	SB-13E-16.0-16.5	21	1.14	8.81	9.95	8.96	88.8	
M4630-03	SB-13E-25.5-26	22	1.19	8.78	9.97	8.79	86.6	
M4630-04	SB-13R-5.0	23	1.15	8.80	9.95	8.9	88.1	
M4630-04D	SB-13R-5.0DUP	24	1.18	8.79	9.97	8.91	87.9	
M4630-05	SB-13R-29.5-30	25	1.16	8.56	9.72	8.65	87.5	
M4630-06	SB-13N-5.0	26	1.19	8.33	9.52	8.08	82.7	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 11/11/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 16:40
In Date: 11/10/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 11/11/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB117297

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M4630-07	SB-13N-16.0-16.5	27	1.19	8.39	9.58	8.52	87.4	
M4630-08	SB-13N-25.5-26	28	1.16	8.82	9.98	8.78	86.4	
M4630-09	SB-13S-5.0	29	1.12	8.45	9.57	8.49	87.2	
M4630-10	SB-13S-16.0-16.5	30	1.13	8.42	9.55	8.56	88.2	
M4630-11	SB-13S-25.5-26	31	1.13	8.83	9.96	7.76	75.1	
M4630-12	SB-13W-5.0	32	1.18	8.79	9.97	8.33	81.3	
M4630-13	SB-13W-16.0-16.5	33	1.11	8.47	9.58	8.56	88.0	
M4630-14	SB-13W-25.5-26	34	1.18	8.56	9.74	8.58	86.4	
M4635-01	VWE-B20-11921-0-10	37	1.12	8.74	9.86	9.6	97.0	
M4635-02	VWE-B20-111021-0-1	38	1.16	8.65	9.81	9.33	94.5	
M4635-03	VWE-B20-111021-9-10	39	1.17	8.77	9.94	9.64	96.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

VB 117297

WorkList Name : %1-111021 WorkList ID : 154175 Department : Wet-Chemistry Date : 11-10-2021 08:41:05

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
11/19/2021	Solid	M4606-14	Percent Solids	Cool 4 deg C	TETR06	D11	OF-3-20211109	11/09/2021	Chemtech -SO
11/19/2021	Solid	M4606-15	Percent Solids	Cool 4 deg C	TETR06	D11	M4606-14MS	11/09/2021	Chemtech -SO
11/19/2021	Solid	M4606-16	Percent Solids	Cool 4 deg C	TETR06	D11	M4606-14MSD	11/09/2021	Chemtech -SO
11/19/2021	Solid	M4606-17	Percent Solids	Cool 4 deg C	TETR06	D11	OF-4-20211109	11/09/2021	Chemtech -SO
11/19/2021	Solid	M4606-21	Percent Solids	Cool 4 deg C	TETR06	D11	DUP-03-20211109	11/09/2021	Chemtech -SO
11/17/2021	Solid	M4607-01	Percent Solids	Cool 4 deg C	PSEG03	D11	21501	11/10/2021	Chemtech -SO
11/17/2021	Solid	M4607-02	Percent Solids	Cool 4 deg C	PSEG03	D11	207	11/10/2021	Chemtech -SO
11/17/2021	Solid	M4607-03	Percent Solids	Cool 4 deg C	PSEG03	D11	11966	11/10/2021	Chemtech -SO
11/17/2021	Solid	M4607-04	Percent Solids	Cool 4 deg C	PSEG03	D11	368	11/10/2021	Chemtech -SO
11/15/2021	Solid	M4612-01	Percent Solids	Cool 4 deg C	PSEG03	D11	GSMP-EB-ONLY	11/10/2021	Chemtech -SO
11/15/2021	Solid	M4612-02	Percent Solids	Cool 4 deg C	PSEG03	D11	GSMP-EB-ONLY-EPH-2	11/10/2021	Chemtech -SO
11/17/2021	Solid	M4619-01	Percent Solids	Cool 4 deg C	PSEG05	D11	HR-01-111021	11/10/2021	Chemtech -SO
11/17/2021	Solid	M4619-02	Percent Solids	Cool 4 deg C	PSEG05	D11	HR-01-111021-EPH-2	11/10/2021	Chemtech -SO
11/17/2021	Solid	M4619-03	Percent Solids	Cool 4 deg C	PSEG05	D11	HR-02-111021	11/10/2021	Chemtech -SO
11/17/2021	Solid	M4619-04	Percent Solids	Cool 4 deg C	PSEG05	D11	HR-02-111021-EPH-2	11/10/2021	Chemtech -SO
11/17/2021	Solid	M4625-01	Percent Solids	Cool 4 deg C	PSEG05	D11	SU-02-111021	11/10/2021	Chemtech -SO
11/17/2021	Solid	M4625-02	Percent Solids	Cool 4 deg C	PSEG05	D11	SU-02-111021-EPH-2	11/10/2021	Chemtech -SO
11/17/2021	Solid	M4625-03	Percent Solids	Cool 4 deg C	PSEG05	D11	SU-03-111021	11/10/2021	Chemtech -SO
11/17/2021	Solid	M4625-04	Percent Solids	Cool 4 deg C	PSEG05	D11	SU-03-111021-EPH-2	11/10/2021	Chemtech -SO
11/12/2021	Solid	M4628-01	Percent Solids	Cool 4 deg C	PSEG03	D11	LAMINGTON-COMP	11/09/2021	Chemtech -SO
11/12/2021	Solid	M4628-02	Percent Solids	Cool 4 deg C	PSEG03	D11	LAMINGTON-2	11/09/2021	Chemtech -SO
11/15/2021	Solid	M4630-01	Percent Solids	Cool 4 deg C	WHIT06	D11	SB-13E-5.0	11/10/2021	Chemtech -SO

Date/Time 11/10/21 15:45 Date/Time 11-10-21 171.00
 Raw Sample Received by: JP (WC) Raw Sample Received by: JP 5m
 Raw Sample Relinquished by: JP (WC) Raw Sample Relinquished by: JP (WC)

VB 117297

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-111021 WorkList ID : 154175 Department : Wet-Chemistry Date : 11-10-2021 08:41:05

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
11/15/2021	Solid	M4630-02	Percent Solids	Cool 4 deg C	WHIT06	D11	SB-13E-16.0-16.5	11/10/2021	Chemtech -SO
11/15/2021	Solid	M4630-03	Percent Solids	Cool 4 deg C	WHIT06	D11	SB-13E-25.5-26	11/10/2021	Chemtech -SO
11/15/2021	Solid	M4630-04	Percent Solids	Cool 4 deg C	WHIT06	D11	SB-13R-5.0	11/10/2021	Chemtech -SO
11/15/2021	Solid	M4630-05	Percent Solids	Cool 4 deg C	WHIT06	D11	SB-13R-29.5-30	11/10/2021	Chemtech -SO
11/15/2021	Solid	M4630-06	Percent Solids	Cool 4 deg C	WHIT06	D11	SB-13N-5.0	11/10/2021	Chemtech -SO
11/15/2021	Solid	M4630-07	Percent Solids	Cool 4 deg C	WHIT06	D11	SB-13N-16.0-16.5	11/10/2021	Chemtech -SO
11/15/2021	Solid	M4630-08	Percent Solids	Cool 4 deg C	WHIT06	D11	SB-13N-25.5-26	11/10/2021	Chemtech -SO
11/15/2021	Solid	M4630-09	Percent Solids	Cool 4 deg C	WHIT06	D11	SB-13S-5.0	11/10/2021	Chemtech -SO
11/15/2021	Solid	M4630-10	Percent Solids	Cool 4 deg C	WHIT06	D11	SB-13S-16.0-16.5	11/10/2021	Chemtech -SO
11/15/2021	Solid	M4630-11	Percent Solids	Cool 4 deg C	WHIT06	D11	SB-13S-25.5-26	11/10/2021	Chemtech -SO
11/15/2021	Solid	M4630-12	Percent Solids	Cool 4 deg C	WHIT06	D11	SB-13W-5.0	11/10/2021	Chemtech -SO
11/15/2021	Solid	M4630-13	Percent Solids	Cool 4 deg C	WHIT06	D11	SB-13W-16.0-16.5	11/10/2021	Chemtech -SO
11/15/2021	Solid	M4630-14	Percent Solids	Cool 4 deg C	WHIT06	D11	SB-13W-25.5-26	11/10/2021	Chemtech -SO
11/15/2021	Solid	M4635-01	Percent Solids	Cool 4 deg C	ENTE01	D11	VWE-B20-11921-0-10	11/09/2021	Chemtech -SO
11/15/2021	Solid	M4635-02	Percent Solids	Cool 4 deg C	ENTE01	D11	VWE-B20-111021-0-1	11/10/2021	Chemtech -SO
11/15/2021	Solid	M4635-03	Percent Solids	Cool 4 deg C	ENTE01	D11	VWE-B20-111021-9-10	11/10/2021	Chemtech -SO

Date/Time 11-10-21 15:45
Raw Sample Received by: JP (w/c)
Raw Sample Relinquished by: cp sm

Date/Time 11-10-21 17:00
Raw Sample Received by: cp sm
Raw Sample Relinquished by: JP (w/c)