



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 11/18/2021

OVENTEMP IN Celsius(°C): 108
Time IN: 15:20
In Date: 11/17/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:14
Out Date: 11/18/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB117416

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M4717-01	GB906	1	1.13	8.71	9.84	8.15	80.6	
M4717-02	GB907	2	1.13	8.85	9.98	8.37	81.8	
M4717-03	GB907D	3	1.13	8.85	9.98	8.37	81.8	
M4717-04	GB907S	4	1.13	8.85	9.98	8.37	81.8	
M4717-05	GB908	5	1.13	8.77	9.9	8.42	83.1	
M4717-06	GB909	6	1.13	8.84	9.97	8.36	81.8	
M4717-07	GB910	7	1.13	8.83	9.96	8.32	81.4	
M4717-08	GB911	8	1.13	8.76	9.89	6.56	62.0	
M4717-09	GB912	9	1.13	8.81	9.94	8.26	80.9	
M4717-10	GB913	10	1.13	8.81	9.94	8.26	80.9	
M4717-11	GB914	11	1.13	8.85	9.98	8.49	83.2	
M4717-12	GB915	12	1.13	8.74	9.87	7.61	74.1	
M4717-13	GB916	13	1.13	8.77	9.9	7.67	74.6	
M4717-14	GB917	14	1.13	8.80	9.93	8.23	80.7	
M4717-15	GB918	15	1.13	8.82	9.95	8.65	85.3	
M4717-16	GB919	16	1.13	8.84	9.97	8.28	80.9	
M4717-17	GB920	17	1.13	8.77	9.9	8.79	87.3	
M4717-18	GB921	18	1.13	8.83	9.96	9.00	89.1	
M4717-19	GB922	19	1.13	8.81	9.94	8.02	78.2	
M4717-20	GB923	20	1.13	8.85	9.98	7.22	68.8	
M4717-21	GB924	21	1.13	8.74	9.87	8.13	80.1	
M4717-22	GB925	22	1.13	8.77	9.9	8.13	79.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$