



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB117523

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	M4758-01	TP1	1	100.03	0.00	11/24/2021	09:15
2	M4758-01DUP	TP1DUP	1	100.04	0.00	11/24/2021	09:22
3	M4758-03	TP2	1	100.03	0.00	11/24/2021	09:30
4	M4758-05	TP3	1	100.02	0.00	11/24/2021	09:38
5	M4758-07	TP4	1	100.01	0.00	11/24/2021	09:45
6	M4758-09	TP5	1	100.04	0.00	11/24/2021	09:52
7	M4758-11	TP6	1	100.05	0.00	11/24/2021	10:00
8	M4758-13	TP7	1	100.03	0.00	11/24/2021	10:10
9	M4758-15	TP8	1	100.01	0.00	11/24/2021	10:18
10	M4758-17	TP9	1	100.03	0.00	11/24/2021	10:25
11	M4758-19	TP10	1	100.06	0.00	11/24/2021	10:32
12	M4758-21	TP11	1	100.04	0.00	11/24/2021	10:40
13	M4758-23	TP12	1	100.02	0.00	11/24/2021	10:48
14	M4758-25	TP13	1	100.06	0.00	11/24/2021	10:55
15	M4758-27	TP14	1	100.02	0.00	11/24/2021	11:05
16	M4758-29	TP15	1	100.04	0.00	11/24/2021	11:12
17	M4758-31	TP16	1	100.06	0.00	11/24/2021	11:20
18	M4758-33	TP17	1	100.02	0.00	11/24/2021	11:28
19	M4758-35	TP18	1	100.03	0.00	11/24/2021	11:35
20	M4758-37	TP19	1	100.04	0.00	11/24/2021	11:42
21	M4758-39	TP20	1	100.01	0.00	11/24/2021	11:50
22	M4808-01	CHRT-20001	1	100.04	0.00	11/24/2021	11:58
23	M4811-01	20071	1	100.01	0.00	11/24/2021	12:05
24	M4814-01	PL-1-112221	1	100.05	0.00	11/24/2021	12:15
25	M4818-01	TR-04-112321	1	100.02	0.00	11/24/2021	12:22
26	M4819-01	OR-02-112321	1	100.01	0.00	11/24/2021	12:30

LB 117523

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf112421 WorkList ID : 154644 Department : Wet-Chemistry Date : 11-24-2021 09:00:54

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
11/18/2021	Solid	M4758-01	Paint Filter	Cool 4 deg C	PSEG03	D31	TP1	11/18/2021	9095B
11/18/2021	Solid	M4758-03	Paint Filter	Cool 4 deg C	PSEG03	D31	TP2	11/18/2021	9095B
11/18/2021	Solid	M4758-05	Paint Filter	Cool 4 deg C	PSEG03	D31	TP3	11/18/2021	9095B
11/18/2021	Solid	M4758-07	Paint Filter	Cool 4 deg C	PSEG03	D31	TP4	11/18/2021	9095B
11/18/2021	Solid	M4758-09	Paint Filter	Cool 4 deg C	PSEG03	D31	TP5	11/18/2021	9095B
11/18/2021	Solid	M4758-11	Paint Filter	Cool 4 deg C	PSEG03	D31	TP6	11/18/2021	9095B
11/18/2021	Solid	M4758-13	Paint Filter	Cool 4 deg C	PSEG03	D31	TP7	11/18/2021	9095B
11/18/2021	Solid	M4758-15	Paint Filter	Cool 4 deg C	PSEG03	D31	TP8	11/18/2021	9095B
11/18/2021	Solid	M4758-17	Paint Filter	Cool 4 deg C	PSEG03	D31	TP9	11/18/2021	9095B
11/18/2021	Solid	M4758-19	Paint Filter	Cool 4 deg C	PSEG03	D31	TP10	11/18/2021	9095B
11/18/2021	Solid	M4758-21	Paint Filter	Cool 4 deg C	PSEG03	D31	TP11	11/18/2021	9095B
11/18/2021	Solid	M4758-23	Paint Filter	Cool 4 deg C	PSEG03	D31	TP12	11/18/2021	9095B
11/18/2021	Solid	M4758-25	Paint Filter	Cool 4 deg C	PSEG03	D31	TP13	11/18/2021	9095B
11/18/2021	Solid	M4758-27	Paint Filter	Cool 4 deg C	PSEG03	D31	TP14	11/18/2021	9095B
11/18/2021	Solid	M4758-29	Paint Filter	Cool 4 deg C	PSEG03	D31	TP15	11/18/2021	9095B
11/18/2021	Solid	M4758-31	Paint Filter	Cool 4 deg C	PSEG03	D31	TP16	11/18/2021	9095B
11/18/2021	Solid	M4758-33	Paint Filter	Cool 4 deg C	PSEG03	D31	TP17	11/18/2021	9095B
11/18/2021	Solid	M4758-35	Paint Filter	Cool 4 deg C	PSEG03	D31	TP18	11/18/2021	9095B
11/18/2021	Solid	M4758-37	Paint Filter	Cool 4 deg C	PSEG03	D31	TP19	11/18/2021	9095B
11/18/2021	Solid	M4758-39	Paint Filter	Cool 4 deg C	PSEG03	D31	TP20	11/18/2021	9095B
11/22/2021	Solid	M4808-01	Paint Filter	Cool 4 deg C	PSEG03	F11	CHRT-20001	11/22/2021	9095B
11/22/2021	Solid	M4811-01	Paint Filter	Cool 4 deg C	PSEG03	F11	20071	11/22/2021	9095B

Date/Time 11/24/21 09:05 Date/Time 11/24/21 12:35
 Raw Sample Received by: KS(CWC) Raw Sample Received by: AP(COJ)
 Raw Sample Relinquished by: AP(COJ) Raw Sample Relinquished by: KS(WC)

LB117523

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf112421 WorkList ID : 154644 Department : Wet-Chemistry Date : 11-24-2021 09:00:54

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
11/22/2021	Solid	M4814-01	Paint Filter	Cool 4 deg C	PSEG05	F11	PL-1-112221	11/22/2021	9095B
11/23/2021	Solid	M4818-01	Paint Filter	Cool 4 deg C	PSEG05	F12	TR-04-112321	11/23/2021	9095B
11/23/2021	Solid	M4819-01	Paint Filter	Cool 4 deg C	PSEG05	F12	OR-02-112321	11/23/2021	9095B

Date/Time 11/24/21 09:05
 Raw Sample Received by: KS(WC)
 Raw Sample Relinquished by: JP(ColC)

Date/Time 11/24/21 12:35
 Raw Sample Received by: JP(ColC)
 Raw Sample Relinquished by: KS(WC)