



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 12/3/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 12/02/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 12/03/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB117616

Table with 9 columns: Lab ID, Client SampleID, Dish #, Dish Wt (g) (A), Sample Wt (g), Dish + Sample Wt (g) (B), Dish+Dry Sample Wt (g) (C), % Solid, Comments. Rows include samples like M4899-01 (CAULKING SAMPLE), M4904-01 to M4905-10 (PILC REEL), and M4909-01 to M4910-01 (HG-SOIL-PILE).



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 12/3/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 12/02/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 12/03/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB117616

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M4910-02	SP-1-2	3	1.15	8.70	9.85	7.75	75.9	
M4910-03	SP-1-3	4	1.15	8.82	9.97	9.28	92.2	
M4910-04	SP-1-4	5	1.13	8.48	9.61	7.99	80.9	
M4910-05	SP-2-1	6	1.13	8.44	9.57	8.12	82.8	
M4910-06	SP-2-2	7	1.17	8.73	9.9	8.91	88.7	
M4910-07	SP-2-3	8	1.16	8.68	9.84	8.34	82.7	
M4910-08	SP-2-4	9	1.18	8.47	9.65	8.17	82.5	
M4910-09	SP-3-1	10	1.18	8.77	9.95	8.14	79.4	
M4910-10	SP-3-2	11	1.16	8.81	9.97	7.76	74.9	
M4910-11	SP-3-3	12	1.13	8.70	9.83	7.64	74.8	
M4910-12	SP-3-4	13	1.19	8.63	9.82	7.53	73.5	
M4910-13	SP-4-1	14	1.11	8.77	9.88	7.58	73.8	
M4910-14	SP-4-2	15	1.13	8.69	9.82	7.24	70.3	
M4910-15	SP-4-3	16	1.12	8.76	9.88	8.03	78.9	
M4910-16	SP-4-4	17	1.11	8.52	9.63	7.7	77.3	
M4910-17	SP-1-4	18	1.19	8.61	9.8	8.06	79.8	
M4910-19	SP-1-4	19	1.19	8.74	9.93	7.92	77.0	
M4912-02	40558	46	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
M4912-03	40559	47	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
M4915-01	B-1-7	48	1.14	8.81	9.95	9.13	90.7	
M4915-03	B-2-10-15	49	1.13	8.47	9.6	8.77	90.2	
M4915-06	B-3-13	50	1.17	8.49	9.66	8.61	87.6	
M4915-08	B-4-7	51	1.12	8.46	9.58	9.00	93.1	
M4915-10	B-5-4	52	1.15	8.80	9.95	9.12	90.6	
M4915-13	B-6-4	53	1.19	8.43	9.62	8.86	91.0	
M4916-01	BUR-9890	54	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
M4916-03	BUR-1129	55	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
M4920-01	FDR-20211202-WC-S	70	1.13	8.68	9.81	8.74	87.7	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 12/3/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 12/02/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 12/03/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB117616

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M4921-01	SP25-01-20211202-10.5-11	71	1.14	8.68	9.82	6.13	57.5	
M4921-02	SP25-01-20211202-18-18.5	72	1.16	8.82	9.98	6.99	66.1	
M4927-01	PH1-BOT-3	56	1.18	8.44	9.62	9.12	94.1	
M4927-02	PH1-BOT-4	57	1.18	8.41	9.59	9.18	95.1	
M4927-03	PH1-BOT-5	58	1.19	8.79	9.98	9.38	93.2	
M4927-04	PH1-BOT-6	59	1.17	8.44	9.61	9.00	92.8	
M4927-05	PH1-BOT-7	60	1.11	8.46	9.57	8.96	92.8	
M4927-06	PH1-BOT-8	61	1.13	8.72	9.85	6.82	65.3	
M4927-07	PH1-BOT-9	62	1.18	8.48	9.66	9.12	93.6	
M4927-08	PH1-BOT-15	63	1.13	8.67	9.8	9.4	95.4	
M4927-09	PH1-BOT-10	64	1.18	8.74	9.92	9.5	95.2	
M4927-10	PH1-BOT-11	65	1.18	8.80	9.98	9.55	95.1	
M4927-11	PH1-BOT-12	66	1.14	8.80	9.94	9.6	96.1	
M4927-12	PH1-BOT-13	67	1.16	8.81	9.97	9.7	96.9	
M4927-13	PH1-BOT-14	68	1.13	8.60	9.73	9.4	96.2	
M4927-14	PH1-BOT-20	69	1.1	8.74	9.84	9.22	92.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$