



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 12/3/2021

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:00  
In Date: 12/02/2021  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:25  
Out Date: 12/03/2021  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB117616

| Lab ID   | Client SampleID    | Dish # | Dish Wt (g) (A) | Sample Wt (g) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments        |
|----------|--------------------|--------|-----------------|---------------|--------------------------|----------------------------|---------|-----------------|
| M4899-01 | 01-A-01-B-01-C     | 1      | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | CAULKING SAMPLE |
| M4904-01 | K22167Y-1-1        | 20     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4904-02 | K22167Y-1-2        | 21     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4904-03 | K22167Y-2-1        | 22     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4904-04 | K22167Y-2-2        | 23     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4904-05 | ECA343B-1-1        | 24     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4904-06 | ECA343B-1-2        | 25     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4904-07 | HEF188N-1-1        | 26     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4904-08 | HEF188N-1-2        | 27     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4904-09 | KMA7700-1-1        | 28     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4904-10 | KMA7700-1-2        | 29     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4904-11 | BC157517-1-1       | 30     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4904-12 | BC157517-1-2       | 31     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4904-13 | KMA7700-2-1        | 32     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4904-14 | KMA7700-2-2        | 33     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4905-01 | IRV-2021-16A       | 34     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4905-02 | IRV-2021-16B       | 35     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4905-03 | IRV-2021-17A       | 36     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4905-04 | IRV-2021-17B       | 37     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4905-05 | IRV-2021-18A       | 38     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4905-06 | IRV-2021-19A       | 39     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4905-07 | IRV-2021-20A       | 40     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4905-08 | IRV-2021-21A       | 41     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4905-09 | IRV-2021-22A       | 42     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4905-10 | IRV-2021-22B       | 43     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | PILC REEL       |
| M4909-01 | HG-SOIL-PILE       | 44     | 1.17            | 8.36          | 9.53                     | 8.71                       | 90.2    |                 |
| M4909-02 | HG-SOIL-PILE-EPH-2 | 45     | 1.19            | 8.78          | 9.97                     | 9.18                       | 91.0    |                 |
| M4910-01 | SP-1-1             | 2      | 1.18            | 8.52          | 9.7                      | 7.98                       | 79.8    |                 |



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 12/3/2021

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:00  
In Date: 12/02/2021  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:25  
Out Date: 12/03/2021  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB117616

| Lab ID   | Client SampleID   | Dish # | Dish Wt (g) (A) | Sample Wt (g) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments    |
|----------|-------------------|--------|-----------------|---------------|--------------------------|----------------------------|---------|-------------|
| M4910-02 | SP-1-2            | 3      | 1.15            | 8.70          | 9.85                     | 7.75                       | 75.9    |             |
| M4910-03 | SP-1-3            | 4      | 1.15            | 8.82          | 9.97                     | 9.28                       | 92.2    |             |
| M4910-04 | SP-1-4            | 5      | 1.13            | 8.48          | 9.61                     | 7.99                       | 80.9    |             |
| M4910-05 | SP-2-1            | 6      | 1.13            | 8.44          | 9.57                     | 8.12                       | 82.8    |             |
| M4910-06 | SP-2-2            | 7      | 1.17            | 8.73          | 9.9                      | 8.91                       | 88.7    |             |
| M4910-07 | SP-2-3            | 8      | 1.16            | 8.68          | 9.84                     | 8.34                       | 82.7    |             |
| M4910-08 | SP-2-4            | 9      | 1.18            | 8.47          | 9.65                     | 8.17                       | 82.5    |             |
| M4910-09 | SP-3-1            | 10     | 1.18            | 8.77          | 9.95                     | 8.14                       | 79.4    |             |
| M4910-10 | SP-3-2            | 11     | 1.16            | 8.81          | 9.97                     | 7.76                       | 74.9    |             |
| M4910-11 | SP-3-3            | 12     | 1.13            | 8.70          | 9.83                     | 7.64                       | 74.8    |             |
| M4910-12 | SP-3-4            | 13     | 1.19            | 8.63          | 9.82                     | 7.53                       | 73.5    |             |
| M4910-13 | SP-4-1            | 14     | 1.11            | 8.77          | 9.88                     | 7.58                       | 73.8    |             |
| M4910-14 | SP-4-2            | 15     | 1.13            | 8.69          | 9.82                     | 7.24                       | 70.3    |             |
| M4910-15 | SP-4-3            | 16     | 1.12            | 8.76          | 9.88                     | 8.03                       | 78.9    |             |
| M4910-16 | SP-4-4            | 17     | 1.11            | 8.52          | 9.63                     | 7.7                        | 77.3    |             |
| M4910-17 | SP-1-4            | 18     | 1.19            | 8.61          | 9.8                      | 8.06                       | 79.8    |             |
| M4910-19 | SP-1-4            | 19     | 1.19            | 8.74          | 9.93                     | 7.92                       | 77.0    |             |
| M4912-02 | 40558             | 46     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE |
| M4912-03 | 40559             | 47     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE |
| M4915-01 | B-1-7             | 48     | 1.14            | 8.81          | 9.95                     | 9.13                       | 90.7    |             |
| M4915-03 | B-2-10-15         | 49     | 1.13            | 8.47          | 9.6                      | 8.77                       | 90.2    |             |
| M4915-06 | B-3-13            | 50     | 1.17            | 8.49          | 9.66                     | 8.61                       | 87.6    |             |
| M4915-08 | B-4-7             | 51     | 1.12            | 8.46          | 9.58                     | 9.00                       | 93.1    |             |
| M4915-10 | B-5-4             | 52     | 1.15            | 8.80          | 9.95                     | 9.12                       | 90.6    |             |
| M4915-13 | B-6-4             | 53     | 1.19            | 8.43          | 9.62                     | 8.86                       | 91.0    |             |
| M4916-01 | BUR-9890          | 54     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | OIL SAMPLE  |
| M4916-03 | BUR-1129          | 55     | 1.00            | 1.00          | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE |
| M4920-01 | FDR-20211202-WC-S | 70     | 1.13            | 8.68          | 9.81                     | 8.74                       | 87.7    |             |



# PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 12/3/2021

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:00  
In Date: 12/02/2021  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:25  
Out Date: 12/03/2021  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB117616

| Lab ID   | Client SampleID          | Dish # | Dish Wt (g) (A) | Sample Wt (g) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments |
|----------|--------------------------|--------|-----------------|---------------|--------------------------|----------------------------|---------|----------|
| M4921-01 | SP25-01-20211202-10.5-11 | 71     | 1.14            | 8.68          | 9.82                     | 6.13                       | 57.5    |          |
| M4921-02 | SP25-01-20211202-18-18.5 | 72     | 1.16            | 8.82          | 9.98                     | 6.99                       | 66.1    |          |
| M4927-01 | PH1-BOT-3                | 56     | 1.18            | 8.44          | 9.62                     | 9.12                       | 94.1    |          |
| M4927-02 | PH1-BOT-4                | 57     | 1.18            | 8.41          | 9.59                     | 9.18                       | 95.1    |          |
| M4927-03 | PH1-BOT-5                | 58     | 1.19            | 8.79          | 9.98                     | 9.38                       | 93.2    |          |
| M4927-04 | PH1-BOT-6                | 59     | 1.17            | 8.44          | 9.61                     | 9.00                       | 92.8    |          |
| M4927-05 | PH1-BOT-7                | 60     | 1.11            | 8.46          | 9.57                     | 8.96                       | 92.8    |          |
| M4927-06 | PH1-BOT-8                | 61     | 1.13            | 8.72          | 9.85                     | 6.82                       | 65.3    |          |
| M4927-07 | PH1-BOT-9                | 62     | 1.18            | 8.48          | 9.66                     | 9.12                       | 93.6    |          |
| M4927-08 | PH1-BOT-15               | 63     | 1.13            | 8.67          | 9.8                      | 9.4                        | 95.4    |          |
| M4927-09 | PH1-BOT-10               | 64     | 1.18            | 8.74          | 9.92                     | 9.5                        | 95.2    |          |
| M4927-10 | PH1-BOT-11               | 65     | 1.18            | 8.80          | 9.98                     | 9.55                       | 95.1    |          |
| M4927-11 | PH1-BOT-12               | 66     | 1.14            | 8.80          | 9.94                     | 9.6                        | 96.1    |          |
| M4927-12 | PH1-BOT-13               | 67     | 1.16            | 8.81          | 9.97                     | 9.7                        | 96.9    |          |
| M4927-13 | PH1-BOT-14               | 68     | 1.13            | 8.60          | 9.73                     | 9.4                        | 96.2    |          |
| M4927-14 | PH1-BOT-20               | 69     | 1.1             | 8.74          | 9.84                     | 9.22                       | 92.9    |          |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

117616

WorkList Name : %1-120221

WorkList ID : 154783

Department : Wet-Chemistry

Date : 12-02-2021 08:32:46

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 12/03/2021 | Solid  | M4899-01 | Percent Solids | Cool 4 deg C | BSIG01   | D11                         | 01-A-01-B-01-C  | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4904-01 | Percent Solids | Cool 4 deg C | PSEG03   | F31                         | K22167Y-1-1     | 12/01/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4904-02 | Percent Solids | Cool 4 deg C | PSEG03   | F31                         | K22167Y-1-2     | 12/01/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4904-03 | Percent Solids | Cool 4 deg C | PSEG03   | F31                         | K22167Y-2-1     | 12/01/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4904-04 | Percent Solids | Cool 4 deg C | PSEG03   | F31                         | K22167Y-2-2     | 12/01/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4904-05 | Percent Solids | Cool 4 deg C | PSEG03   | F31                         | ECA343B-1-1     | 12/01/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4904-06 | Percent Solids | Cool 4 deg C | PSEG03   | F31                         | ECA343B-1-2     | 12/01/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4904-07 | Percent Solids | Cool 4 deg C | PSEG03   | F31                         | HEF188N-1-1     | 12/01/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4904-08 | Percent Solids | Cool 4 deg C | PSEG03   | F31                         | HEF188N-1-2     | 12/01/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4904-09 | Percent Solids | Cool 4 deg C | PSEG03   | F31                         | KMA7700-1-1     | 12/01/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4904-10 | Percent Solids | Cool 4 deg C | PSEG03   | F31                         | KMA7700-1-2     | 12/01/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4904-11 | Percent Solids | Cool 4 deg C | PSEG03   | F31                         | BC157517-1-1    | 12/01/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4904-12 | Percent Solids | Cool 4 deg C | PSEG03   | F31                         | BC157517-1-2    | 12/01/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4904-13 | Percent Solids | Cool 4 deg C | PSEG03   | F31                         | KMA7700-2-1     | 12/01/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4904-14 | Percent Solids | Cool 4 deg C | PSEG03   | F31                         | KMA7700-2-2     | 12/01/2021   | Chemtech -SO |
| 12/09/2021 | Solid  | M4905-01 | Percent Solids | Cool 4 deg C | PSEG03   | F32                         | IRV-2021-16A    | 12/01/2021   | Chemtech -SO |
| 12/09/2021 | Solid  | M4905-02 | Percent Solids | Cool 4 deg C | PSEG03   | F32                         | IRV-2021-16B    | 12/01/2021   | Chemtech -SO |
| 12/09/2021 | Solid  | M4905-03 | Percent Solids | Cool 4 deg C | PSEG03   | F32                         | IRV-2021-17A    | 12/01/2021   | Chemtech -SO |
| 12/09/2021 | Solid  | M4905-04 | Percent Solids | Cool 4 deg C | PSEG03   | F32                         | IRV-2021-17B    | 12/01/2021   | Chemtech -SO |
| 12/09/2021 | Solid  | M4905-05 | Percent Solids | Cool 4 deg C | PSEG03   | F32                         | IRV-2021-18A    | 12/01/2021   | Chemtech -SO |
| 12/09/2021 | Solid  | M4905-06 | Percent Solids | Cool 4 deg C | PSEG03   | F32                         | IRV-2021-19A    | 12/01/2021   | Chemtech -SO |
| 12/09/2021 | Solid  | M4905-07 | Percent Solids | Cool 4 deg C | PSEG03   | F32                         | IRV-2021-20A    | 12/01/2021   | Chemtech -SO |

Date/Time 12/02/21 15:35  
 Raw Sample Received by: JD WCI  
 Raw Sample Relinquished by: JD WCI  
 Date/Time 12/02/21 17:10  
 Raw Sample Received by: JD WCI  
 Raw Sample Relinquished by: JD WCI

## WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-120221

WorkList ID : 154783

Department : Wet-Chemistry

Date : 12-02-2021 08:32:46

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample    | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|--------------------|--------------|--------------|
| 12/09/2021 | Solid  | M4905-08 | Percent Solids | Cool 4 deg C | PSEG03   | F32                         | IRV-2021-21A       | 12/01/2021   | Chemtech -SO |
| 12/09/2021 | Solid  | M4905-09 | Percent Solids | Cool 4 deg C | PSEG03   | F32                         | IRV-2021-22A       | 12/01/2021   | Chemtech -SO |
| 12/09/2021 | Solid  | M4905-10 | Percent Solids | Cool 4 deg C | PSEG03   | F32                         | IRV-2021-22B       | 12/01/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4909-01 | Percent Solids | Cool 4 deg C | PSEG03   | F32                         | HG-SOIL-PILE       | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4909-02 | Percent Solids | Cool 4 deg C | PSEG03   | F32                         | HG-SOIL-PILE-EPH-2 | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-01 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-1-1             | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-02 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-1-2             | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-03 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-1-3             | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-04 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-1-4             | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-05 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-2-1             | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-06 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-2-2             | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-07 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-2-3             | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-08 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-2-4             | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-09 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-3-1             | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-10 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-3-2             | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-11 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-3-3             | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-12 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-3-4             | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-13 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-4-1             | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-14 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-4-2             | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-15 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-4-3             | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-16 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-4-4             | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4910-17 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-1-4             | 12/02/2021   | Chemtech -SO |

Date/Time 12.02.21 15:33 Date/Time 12.02.21 17:10  
Raw Sample Received by: JD CSM Raw Sample Received by: JD CSM  
Raw Sample Relinquished by: JD CSM Raw Sample Relinquished by: JD CSM

117616

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-120221      WorkList ID : 154783      Department : Wet-Chemistry      Date : 12-02-2021 08:32:46

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 12/07/2021 | Solid  | M4910-19 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | SP-1-4          | 12/02/2021   | Chemtech -SO |
| 12/03/2021 | Solid  | M4912-02 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | 40558           | 12/02/2021   | Chemtech -SO |
| 12/03/2021 | Solid  | M4912-03 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | 40559           | 12/02/2021   | Chemtech -SO |
| 11/22/2021 | Solid  | M4915-01 | Percent Solids | Cool 4 deg C | RMJE02   | F41                         | B-1-7           | 11/17/2021   | Chemtech -SO |
| 11/22/2021 | Solid  | M4915-03 | Percent Solids | Cool 4 deg C | RMJE02   | F41                         | B-2-10-15       | 11/17/2021   | Chemtech -SO |
| 11/22/2021 | Solid  | M4915-06 | Percent Solids | Cool 4 deg C | RMJE02   | F41                         | B-3-13          | 11/17/2021   | Chemtech -SO |
| 11/22/2021 | Solid  | M4915-08 | Percent Solids | Cool 4 deg C | RMJE02   | F41                         | B-4-7           | 11/17/2021   | Chemtech -SO |
| 11/22/2021 | Solid  | M4915-10 | Percent Solids | Cool 4 deg C | RMJE02   | F41                         | B-5-4           | 11/17/2021   | Chemtech -SO |
| 11/22/2021 | Solid  | M4915-13 | Percent Solids | Cool 4 deg C | RMJE02   | F41                         | B-6-4           | 11/17/2021   | Chemtech -SO |
| 12/12/2021 | Solid  | M4916-01 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | BUR-9890        | 12/02/2021   | Chemtech -SO |
| 12/07/2021 | Solid  | M4916-03 | Percent Solids | Cool 4 deg C | PSEG03   | F41                         | BUR-1129        | 12/02/2021   | Chemtech -SO |
| 12/12/2021 | Solid  | M4927-01 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-3       | 12/02/2021   | Chemtech -SO |
| 12/12/2021 | Solid  | M4927-02 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-4       | 12/02/2021   | Chemtech -SO |
| 12/12/2021 | Solid  | M4927-03 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-5       | 12/02/2021   | Chemtech -SO |
| 12/12/2021 | Solid  | M4927-04 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-6       | 12/02/2021   | Chemtech -SO |
| 12/12/2021 | Solid  | M4927-05 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-7       | 12/02/2021   | Chemtech -SO |
| 12/12/2021 | Solid  | M4927-06 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-8       | 12/02/2021   | Chemtech -SO |
| 12/12/2021 | Solid  | M4927-07 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-9       | 12/02/2021   | Chemtech -SO |
| 12/12/2021 | Solid  | M4927-08 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-15      | 12/02/2021   | Chemtech -SO |
| 12/12/2021 | Solid  | M4927-09 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-10      | 12/02/2021   | Chemtech -SO |
| 12/12/2021 | Solid  | M4927-10 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-11      | 12/02/2021   | Chemtech -SO |
| 12/12/2021 | Solid  | M4927-11 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-12      | 12/02/2021   | Chemtech -SO |

Date/Time 12/02/21 15:35      Date/Time 12/02/21 17:10  
 Raw Sample Received by: JD (CSM)      Raw Sample Received by: JD (CSM)  
 Raw Sample Relinquished by: JD (CSM)      Raw Sample Relinquished by: JD (CSM)

12/17/2021

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-120221      WorkList ID : 154783      Department : Wet-Chemistry      Date : 12-02-2021 08:32:46

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 12/12/2021 | Solid  | M4927-12 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-13      | 12/02/2021   | Chemtech -SO |
| 12/12/2021 | Solid  | M4927-13 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-14      | 12/02/2021   | Chemtech -SO |
| 12/12/2021 | Solid  | M4927-14 | Percent Solids | Cool 4 deg C | CORN02   | D11                         | PH1-BOT-20      | 12/02/2021   | Chemtech -SO |

Date/Time 12/02/21 15:35  
 Raw Sample Received by: JN (WCI)  
 Raw Sample Relinquished by: JD CSM

Date/Time 12-02-21 8:10  
 Raw Sample Received by: JD CSM  
 Raw Sample Relinquished by: JR (WCI)