



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 12/8/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:10
In Date: 12/07/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:18
Out Date: 12/08/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB117679

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M4944-01	ETGI-362	1	1.14	8.54	9.68	8.34	84.3	
M4944-02	ETGI-362	2	1.15	8.81	9.96	8.52	83.7	
M4958-01	D-01	3	1.18	8.67	9.85	8.57	85.2	
M4959-01	TP-1S	4	1.18	8.79	9.97	8.68	85.3	
M4959-03	TP-1S-EPH	5	1.14	8.40	9.54	8.5	87.6	
M4959-04	TP-1D	6	1.14	8.84	9.98	8.91	87.9	
M4959-06	TP-1D-EPH	7	1.13	8.53	9.66	8.29	83.9	
M4959-07	TP-2	8	1.18	8.45	9.63	8.36	85.0	
M4959-09	TP-2-EPH	9	1.18	8.66	9.84	8.47	84.2	
M4959-10	TP-3S	10	1.14	8.83	9.97	8.77	86.4	
M4959-12	TP-3S-EPH	11	1.12	8.76	9.88	8.33	82.3	
M4959-13	TP-5S	12	1.1	8.61	9.71	8.74	88.7	
M4959-15	TP-5S-EPH	13	1.13	8.41	9.54	8.09	82.8	
M4959-16	TP-5D	14	1.11	8.87	9.98	8.98	88.7	
M4959-18	TP-5D-EPH	15	1.17	8.72	9.89	8.94	89.1	
M4959-19	TP-3D	16	1.17	8.70	9.87	8.97	89.7	
M4959-21	TP-3D-EPH	17	1.19	8.44	9.63	8.75	89.6	
M4963-01	UV-1	18	1.15	8.82	9.97	6.47	60.3	
M4964-01	LAUNDRYROOM-PIT-BOTTOM	19	1.14	8.81	9.95	8.82	87.2	
M4964-01D	LAUNDRYROOM-PIT-BOTTOMD UP	20	1.19	8.78	9.97	8.84	87.1	
M4964-02	EAST-SIDEWALL	21	1.11	8.86	9.97	8.9	87.9	
M4965-01	RED-PAINTCHIPS-EXTERIOR	22	1.00	1.00	2.00	2.00	100.0	PAINT CHIPS
M4965-02	RED-CONCRETE-COMP-EXTERIOR	23	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-04	RED-CONCRETE-VOC	24	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-05	RED-CONCRETE-GRAB-1	25	1.00	1.00	2.00	2.00	100.0	PAINT CHIPS SAMPLE
M4965-06	RED-CONCRETE-GRAB-2	26	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-07	WHITE-PAINTCHIPS-EXTERIOR	27	1.00	1.00	2.00	2.00	100.0	PAINT CHIPS



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 12/8/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:10
In Date: 12/07/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:18
Out Date: 12/08/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB117679

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M4965-08	WHITE-CONCRETE-COMP-EXT ERIOR	28	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-10	WHITE-CONCRETE-VOC	29	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-11	WHITE-CONCRETE-GRAB-1	30	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-12	WHITE-CONCRETE-GRAB-2	31	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-13	BLUE-PAINTCHIPS	32	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-14	BLUE-CONCRETE-COMP	33	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-16	BLUE-CONCRETE-VOC	34	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-17	BLUE-CONCRETE-GRAB-1	35	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-18	BLUE-CONCRETE-GRAB-2	36	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-19	RED-WALL-PAINTCHIPS	37	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-20	RED-WALL-CONCRETE-COMP	38	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-22	RED-WALL-VOC	39	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-23	RED-WALL-CONCRETE-GRAB- 1	40	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-24	RED-WALL-CONCRETE-GRAB- 2	41	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-25	WHITE-BROWN-PAINTCHIPS	42	1.00	1.00	2.00	2.00	100.0	PAINT CHIPS
M4965-26	WHITE-BROWN-CONCRETE-CO MP	43	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-28	WHITE-BROWN-CONCRETE-VO C	44	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-29	WHITE-BROWN-CONCRETE-GR AB-1	45	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-30	WHITE-BROWN-CONCRETE-GR AB-2	46	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-31	FLOORS-COMP	47	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-33	FLOORS-VOC	48	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-34	FLOORS-GRAB-1	49	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-35	FLOORS-GRAB-2	50	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-36	N-PARK-SIDEWALK-1	51	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 12/8/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:10
In Date: 12/07/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:18
Out Date: 12/08/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB117679

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M4965-37	N-PARK-SIDEWALK-2	52	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-38	KEARNY-ST-SIDEWALK-1	53	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M4965-39	KEARNY-ST-SIDEWALK-2	54	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

W3 11 7679

WorkList Name : %1-120721 WorkList ID : 154912 Department : Wet-Chemistry Date : 12-07-2021 08:28:10

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
12/13/2021	Solid	M4944-01	Percent Solids	Cool 4 deg C	PSEG03	F51	ETGI-362	12/06/2021	Chemtech -SO
12/13/2021	Solid	M4944-02	Percent Solids	Cool 4 deg C	PSEG03	F51	ETGI-362	12/06/2021	Chemtech -SO
12/16/2021	Solid	M4958-01	Percent Solids	Cool 4 deg C	TECT01	F52	D-01	12/06/2021	Chemtech -SO
12/13/2021	Solid	M4959-01	Percent Solids	Cool 4 deg C	PSEG03	F52	TP-1S	12/06/2021	Chemtech -SO
12/13/2021	Solid	M4959-03	Percent Solids	Cool 4 deg C	PSEG03	F52	TP-1S-EPH	12/06/2021	Chemtech -SO
12/13/2021	Solid	M4959-04	Percent Solids	Cool 4 deg C	PSEG03	F52	TP-1D	12/06/2021	Chemtech -SO
12/13/2021	Solid	M4959-06	Percent Solids	Cool 4 deg C	PSEG03	F52	TP-1D-EPH	12/06/2021	Chemtech -SO
12/13/2021	Solid	M4959-07	Percent Solids	Cool 4 deg C	PSEG03	F52	TP-2	12/06/2021	Chemtech -SO
12/13/2021	Solid	M4959-09	Percent Solids	Cool 4 deg C	PSEG03	F52	TP-2-EPH	12/06/2021	Chemtech -SO
12/13/2021	Solid	M4959-10	Percent Solids	Cool 4 deg C	PSEG03	F52	TP-3S	12/06/2021	Chemtech -SO
12/13/2021	Solid	M4959-12	Percent Solids	Cool 4 deg C	PSEG03	F52	TP-3S-EPH	12/06/2021	Chemtech -SO
12/13/2021	Solid	M4959-13	Percent Solids	Cool 4 deg C	PSEG03	F52	TP-5S	12/06/2021	Chemtech -SO
12/13/2021	Solid	M4959-15	Percent Solids	Cool 4 deg C	PSEG03	F52	TP-5S-EPH	12/06/2021	Chemtech -SO
12/13/2021	Solid	M4959-16	Percent Solids	Cool 4 deg C	PSEG03	F52	TP-5D	12/06/2021	Chemtech -SO
12/13/2021	Solid	M4959-18	Percent Solids	Cool 4 deg C	PSEG03	F52	TP-5D-EPH	12/06/2021	Chemtech -SO
12/13/2021	Solid	M4959-19	Percent Solids	Cool 4 deg C	PSEG03	F52	TP-3D	12/06/2021	Chemtech -SO
12/13/2021	Solid	M4959-21	Percent Solids	Cool 4 deg C	PSEG03	F52	TP-3D-EPH	12/06/2021	Chemtech -SO
12/10/2021	Solid	M4963-01	Percent Solids	Cool 4 deg C	RMJE02	F51	UV-1	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4964-01	Percent Solids	Cool 4 deg C	ENVI27	H11	LAUNDRYROOM-PIT-BC	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4964-02	Percent Solids	Cool 4 deg C	ENVI27	H11	EAST-SIDEWALL	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-01	Percent Solids	Cool 4 deg C	PSEG03	H11	RED-PAINTCHIPS-EXTE	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-02	Percent Solids	Cool 4 deg C	PSEG03	H11	RED-CONCRETE-COMP	12/07/2021	Chemtech -SO

Date/Time 12/07/21 16:10
 Raw Sample Received by: JPWC
 Raw Sample Relinquished by: JPWC
 Date/Time 12/07/21 14:45
 Raw Sample Received by: JPWC
 Raw Sample Relinquished by: JPWC

WORKLIST(Hardcopy Internal Chain)

117679

WorkList Name : %1-120721

WorkList ID : 154912

Department : Wet-Chemistry

Date : 12-07-2021 08:28:10

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
12/14/2021	Solid	M4965-04	Percent Solids	Cool 4 deg C	PSEG03	H11	RED-CONCRETE-VOC	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-05	Percent Solids	Cool 4 deg C	PSEG03	H11	RED-CONCRETE-GRAB	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-06	Percent Solids	Cool 4 deg C	PSEG03	H11	RED-CONCRETE-GRAB	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-07	Percent Solids	Cool 4 deg C	PSEG03	H11	WHITE-PAINTCHIPS-EX	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-08	Percent Solids	Cool 4 deg C	PSEG03	H11	WHITE-CONCRETE-COM	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-10	Percent Solids	Cool 4 deg C	PSEG03	H11	WHITE-CONCRETE-VOC	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-11	Percent Solids	Cool 4 deg C	PSEG03	H11	WHITE-CONCRETE-GRAB	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-12	Percent Solids	Cool 4 deg C	PSEG03	H11	WHITE-CONCRETE-GRAB	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-13	Percent Solids	Cool 4 deg C	PSEG03	H11	BLUE-PAINTCHIPS	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-14	Percent Solids	Cool 4 deg C	PSEG03	H11	BLUE-CONCRETE-COM	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-16	Percent Solids	Cool 4 deg C	PSEG03	H11	BLUE-CONCRETE-VOC	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-17	Percent Solids	Cool 4 deg C	PSEG03	H11	BLUE-CONCRETE-GRAB	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-18	Percent Solids	Cool 4 deg C	PSEG03	H11	BLUE-CONCRETE-GRAB	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-19	Percent Solids	Cool 4 deg C	PSEG03	H11	RED-WALL-PAINTCHIPS	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-20	Percent Solids	Cool 4 deg C	PSEG03	H11	RED-WALL-CONCRETE	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-22	Percent Solids	Cool 4 deg C	PSEG03	H11	RED-WALL-VOC	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-23	Percent Solids	Cool 4 deg C	PSEG03	H11	RED-WALL-CONCRETE	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-24	Percent Solids	Cool 4 deg C	PSEG03	H11	RED-WALL-CONCRETE	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-25	Percent Solids	Cool 4 deg C	PSEG03	H11	WHITE-BROWN-PAINTC	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-26	Percent Solids	Cool 4 deg C	PSEG03	H11	WHITE-BROWN-CONCR	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-28	Percent Solids	Cool 4 deg C	PSEG03	H11	WHITE-BROWN-CONCR	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-29	Percent Solids	Cool 4 deg C	PSEG03	H11	WHITE-BROWN-CONCR	12/07/2021	Chemtech -SO

Date/Time 12/07/21 16:10
Raw Sample Received by: TP GWC
Raw Sample Relinquished by: [Signature]

Date/Time 12/07/21
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]

VB 117679

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-120721 WorkList ID : 154912 Department : Wet-Chemistry Date : 12-07-2021 08:28:10

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
12/14/2021	Solid	M4965-30	Percent Solids	Cool 4 deg C	PSEG03	H11	WHITE-BROWN-CONCR	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-31	Percent Solids	Cool 4 deg C	PSEG03	H11	FLOORS-COMP	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-33	Percent Solids	Cool 4 deg C	PSEG03	H11	FLOORS-VOC	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-34	Percent Solids	Cool 4 deg C	PSEG03	H11	FLOORS-GRAB-1	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-35	Percent Solids	Cool 4 deg C	PSEG03	H11	FLOORS-GRAB-2	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-36	Percent Solids	Cool 4 deg C	PSEG03	H11	N-PARK-SIDEWALK-1	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-37	Percent Solids	Cool 4 deg C	PSEG03	H11	N-PARK-SIDEWALK-2	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-38	Percent Solids	Cool 4 deg C	PSEG03	H11	KEARNY-ST-SIDEWALK	12/07/2021	Chemtech -SO
12/14/2021	Solid	M4965-39	Percent Solids	Cool 4 deg C	PSEG03	H11	KEARNY-ST-SIDEWALK	12/07/2021	Chemtech -SO

Date/Time 12/07/21 16:10
 Raw Sample Received by: JP (WC)
 Raw Sample Relinquished by: JP (WC)

Date/Time 12/07/21 17:15
 Raw Sample Received by: JP (WC)
 Raw Sample Relinquished by: JP (WC)