



Analytical Summary Report

Analysis Method: 1030

Reviewed By: ketankumar

Parameter: Ignitability

Supervisor Review By: apatel

Run Number: LB117706

Seq	LabID	ClientID	DF	matrix	Result Status	Burning Rate	Anal Date	Anal Time
1	M4965-03	RED-CONCRETE-COMP-EX	1	Solid	NO	0.00	12/08/2021	11:58
2	M4965-03DUP	RED-CONCRETE-COMP-EX	1	Solid	NO	0.00	12/08/2021	12:05
3	M4965-09	WHITE-CONCRETE-COMP-	1	Solid	NO	0.00	12/08/2021	12:15
4	M4965-15	BLUE-CONCRETE-COMP	1	Solid	NO	0.00	12/08/2021	12:22
5	M4965-21	RED-WALL-CONCRETE-CO	1	Solid	NO	0.00	12/08/2021	12:30
6	M4965-27	WHITE-BROWN-CONCRETE	1	Solid	NO	0.00	12/08/2021	12:38
7	M4965-32	FLOORS-COMP	1	Solid	NO	0.00	12/08/2021	12:45
8	M4966-06	P1-COMP	1	Solid	NO	0.00	12/08/2021	12:52
9	M4966-15	P2-COMP	1	Solid	NO	0.00	12/08/2021	13:00
10	M4966-23	P3-COMP	1	Solid	NO	0.00	12/08/2021	13:10
11	M4966-30	P4-COMP	1	Solid	NO	0.00	12/08/2021	13:18
12	M4967-01	TP-7S	1	Solid	NO	0.00	12/08/2021	13:25
13	M4967-04	TP-7D	1	Solid	NO	0.00	12/08/2021	13:32
14	M4967-07	TP-8S	1	Solid	NO	0.00	12/08/2021	13:40
15	M4967-10	TP-11S	1	Solid	NO	0.00	12/08/2021	13:48
16	M4967-13	TP-11D	1	Solid	NO	0.00	12/08/2021	13:55

Burning Rate = $\frac{\text{Length (mm)}}{\text{Total Time (sec)}}$

WORKLIST(Hardcopy Internal Chain)

LB117706.

WorkList Name : IGNI 12821 WorkList ID : 154962 Department : Wet-Chemistry Date : 12-08-2021 11:48:24

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
12/14/2021	Solid	M4965-03	Ignitability	Cool 4 deg C	PSEG03	H11	RED-CONCRETE-COMP	12/07/2021	1030
12/14/2021	Solid	M4965-09	Ignitability	Cool 4 deg C	PSEG03	H11	WHITE-CONCRETE-COM	12/07/2021	1030
12/14/2021	Solid	M4965-15	Ignitability	Cool 4 deg C	PSEG03	H11	BLUE-CONCRETE-COMI	12/07/2021	1030
12/14/2021	Solid	M4965-21	Ignitability	Cool 4 deg C	PSEG03	H11	RED-WALL-CONCRETE-	12/07/2021	1030
12/14/2021	Solid	M4965-27	Ignitability	Cool 4 deg C	PSEG03	H11	WHITE-BROWN-CONCR	12/07/2021	1030
12/14/2021	Solid	M4965-32	Ignitability	Cool 4 deg C	PSEG03	H11	FLOORS-COMP	12/07/2021	1030
12/10/2021	Solid	M4966-06	Ignitability	Cool 4 deg C	BROW03	H11	P1-COMP	12/07/2021	1030
12/10/2021	Solid	M4966-15	Ignitability	Cool 4 deg C	BROW03	H11	P2-COMP	12/07/2021	1030
12/10/2021	Solid	M4966-23	Ignitability	Cool 4 deg C	BROW03	H11	P3-COMP	12/07/2021	1030
12/10/2021	Solid	M4966-30	Ignitability	Cool 4 deg C	BROW03	H11	P4-COMP	12/07/2021	1030
12/14/2021	Solid	M4967-01	Ignitability	Cool 4 deg C	PSEG03	H11	TP-7S	12/06/2021	1030
12/14/2021	Solid	M4967-04	Ignitability	Cool 4 deg C	PSEG03	H11	TP-7D	12/06/2021	1030
12/14/2021	Solid	M4967-07	Ignitability	Cool 4 deg C	PSEG03	H11	TP-8S	12/06/2021	1030
12/14/2021	Solid	M4967-10	Ignitability	Cool 4 deg C	PSEG03	H11	TP-11S	12/06/2021	1030
12/14/2021	Solid	M4967-13	Ignitability	Cool 4 deg C	PSEG03	H11	TP-11D	12/06/2021	1030

Date/Time 12/08/21 11:50
 Raw Sample Received by: KS(wc)
 Raw Sample Relinquished by: JH(wc)

Date/Time 12/08/21 14:00
 Raw Sample Received by: SP
 Raw Sample Relinquished by: KS(wc)