



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: JIGNESH

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB117918

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M5146-01	NB-8-121721	1	100.02	0.00	12/21/2021	15:05
2	M5146-01DUP	NB-8-121721DUP	1	100.03	0.00	12/21/2021	15:15
3	M5147-01	VNJ-210	1	100.04	0.00	12/21/2021	15:22
4	M5178-01	CL-02-122021	1	100.06	0.00	12/21/2021	15:30
5	M5190-01	CHRT-26598	1	100.04	0.00	12/21/2021	15:38
6	M5190-03	RT-880	1	100.03	0.00	12/21/2021	15:45

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF122121 WorkList ID : 155430 Department : Wet-Chemistry Date : 12-21-2021 11:45:57

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
12/17/2021	Solid	M5146-01	Paint Filter	Cool 4 deg C	PSEG05	H42	NB-8-121721	12/17/2021	9095B
12/17/2021	Solid	M5147-01	Paint Filter	Cool 4 deg C	PSEG03	H42	VNJ-210	12/17/2021	9095B
12/20/2021	Solid	M5178-01	Paint Filter	Cool 4 deg C	PSEG05	H51	CL-02-122021	12/20/2021	9095B
12/21/2021	Solid	M5190-01	Paint Filter	Cool 4 deg C	PSEG03	H61	CHRT-26598	12/21/2021	9095B
12/21/2021	Solid	M5190-03	Paint Filter	Cool 4 deg C	PSEG03	H61	RT-880	12/21/2021	9095B

Date/Time 12/21/21 14:55
 Raw Sample Received by: KS (COC)
 Raw Sample Relinquished by: SA (COC)

Date/Time 12/21/21 15:50
 Raw Sample Received by: SA (COC)
 Raw Sample Relinquished by: KS (COC)