



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB118051

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M5255-01	TR-04-122921	1	100.03	0.00	01/04/2022	09:25
2	M5255-01DUP	TR-04-122921DUP	1	100.05	0.00	01/04/2022	09:32
3	M5329-01	OR-3-123021	1	100.06	0.00	01/04/2022	09:40
4	M5337-09	WC-1	1	100.04	0.00	01/04/2022	09:48
5	N1004-01	RO-R2-IEC	1	100.02	0.00	01/04/2022	09:55

WORKLIST(Hardcopy Internal Chain)

LB118051

WorkList Name : pf1422 WorkList ID : 155702 Department : Wet-Chemistry Date : 01-04-2022 09:10:59

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
12/29/2021	Solid	M5255-01	Paint Filter	Cool 4 deg C	PSEG05	I11	TR-04-122921	12/29/2021	9095B
12/30/2021	Solid	M5329-01	Paint Filter	Cool 4 deg C	PSEG05	I11	OR-3-123021	12/30/2021	9095B
12/30/2021	Solid	M5337-09	Paint Filter	Cool 4 deg C	PSEG03	I11	WC-1	12/30/2021	9095B
01/03/2022	Solid	N1004-01	Paint Filter	Cool 4 deg C	PSEG03	I11	RO-R2-IEC	01/03/2022	9095B

Date/Time 01/04/22 09:15
 Raw Sample Received by: KS(wc)
 Raw Sample Relinquished by: JH(wc)

Date/Time 01/04/22 10:00
 Raw Sample Received by: JH(wc)
 Raw Sample Relinquished by: KS(wc)