



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB118079

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	N1014-01	72-11944	1	100.05	0.00	01/05/2022	10:45
2	N1014-01DUP	72-11944DUP	1	100.02	0.00	01/05/2022	10:52

WORKLIST(Hardcopy Internal Chain)

LB118079

WorkList Name : PF1522 WorkList ID : 155735 Department : Wet-Chemistry Date : 01-05-2022 09:43:24

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
01/04/2022	Solid	N1014-01	Paint Filter	Cool 4 deg C	PSEG03	I11	72-11944	01/04/2022	9095B

Date/Time 01/05/22 09:45
 Raw Sample Received by: KS(wc)
 Raw Sample Relinquished by: SP(wc)

Date/Time 01/05/22 10:55
 Raw Sample Received by: SP(wc)
 Raw Sample Relinquished by: KS(wc)