



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB118355

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	N1233-01	RT3876	1	100.05	0.00	01/24/2022	10:40
2	N1233-01DUP	RT3876DUP	1	100.02	0.00	01/24/2022	10:48
3	N1233-03	RT4743	1	100.03	0.00	01/24/2022	10:55
4	N1234-01	TR-04-01212022	1	100.01	0.00	01/24/2022	11:05
5	N1235-01	TP-1	1	100.02	0.00	01/24/2022	11:15
6	N1235-04	TP-2	1	100.03	0.00	01/24/2022	11:25
7	N1242-01	PSC-124042	1	100.04	0.00	01/24/2022	11:32
8	N1242-03	PSC-124055	1	100.06	0.00	01/24/2022	11:40
9	N1242-05	PSC-124035	1	100.04	0.00	01/24/2022	11:48
10	N1243-01	AMI-1	1	100.03	0.00	01/24/2022	11:55
11	N1243-05	AMI-2	1	100.05	0.00	01/24/2022	12:05
12	N1243-09	AMI-3	1	100.02	0.00	01/24/2022	12:15

WORKLIST(Hardcopy Internal Chain)

LB118355

WorkList Name : pf12422 WorkList ID : 156253 Department : Wet-Chemistry Date : 01-24-2022 09:24:09

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
01/21/2022	Solid	N1233-01	Paint Filter	Cool 4 deg C	PSEG03	D12	RT3876	01/21/2022	9095B
01/21/2022	Solid	N1233-03	Paint Filter	Cool 4 deg C	PSEG03	D12	RT4743	01/21/2022	9095B
01/21/2022	Solid	N1234-01	Paint Filter	Cool 4 deg C	PSEG05	D12	TR-04-01212022	01/21/2022	9095B
01/21/2022	Solid	N1235-01	Paint Filter	Cool 4 deg C	PSEG03	D12	TP-1	01/21/2022	9095B
01/21/2022	Solid	N1235-04	Paint Filter	Cool 4 deg C	PSEG03	D12	TP-2	01/21/2022	9095B
01/21/2022	Solid	N1242-01	Paint Filter	Cool 4 deg C	PSEG03	D12	PSC-124042	01/21/2022	9095B
01/21/2022	Solid	N1242-03	Paint Filter	Cool 4 deg C	PSEG03	D12	PSC-124055	01/21/2022	9095B
01/21/2022	Solid	N1242-05	Paint Filter	Cool 4 deg C	PSEG03	D12	PSC-124035	01/21/2022	9095B
01/21/2022	Solid	N1243-01	Paint Filter	Cool 4 deg C	PSEG03	D12	AMI-1	01/21/2022	9095B
01/21/2022	Solid	N1243-05	Paint Filter	Cool 4 deg C	PSEG03	D12	AMI-2	01/21/2022	9095B
01/21/2022	Solid	N1243-09	Paint Filter	Cool 4 deg C	PSEG03	D12	AMI-3	01/21/2022	9095B

Date/Time 01/24/22 10:30
 Raw Sample Received by: KS (wc)
 Raw Sample Relinquished by: KS (wc)

Date/Time 01/24/22 12:20
 Raw Sample Received by: JB (wc)
 Raw Sample Relinquished by: KS (wc)