



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 1/26/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 01/25/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 01/26/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB118363

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N1144-04	RO-ETGI-352	1	1.16	8.55	9.71	8.8	89.4	
N1248-01	C1-C2	2	1.14	8.77	9.91	8.47	83.6	
N1251-01	VNJ-222	3	1.14	8.53	9.67	5.17	47.2	GEL MATRIX
N1251-02	VNJ-222	4	1.14	8.19	9.33	5.91	58.2	GEL MATRIX
N1251-03	275	5	1.16	8.43	9.59	6.00	57.4	GEL MATRIX
N1251-04	275	6	1.18	8.78	9.96	5.35	47.5	GEL MATRIX
N1254-01	SP25-04-20220124-12.0-12.5	7	1.18	8.47	9.65	6.32	60.7	
N1254-02	SP25-04-20220124-18.5-19.0	8	1.11	8.67	9.78	8.24	82.2	
N1255-01	MIXED-DEMO	9	1.14	8.36	9.5	9.42	99.0	
N1256-01	CONCRETE-GRAB	10	1.19	8.51	9.7	9.63	99.2	
N1258-01	WTC-SAR-HA1	11	1.15	8.41	9.56	6.87	68.0	
N1258-02	WTC-SAR-HA2	12	1.17	8.60	9.77	7.19	70.0	
N1258-03	WTC-SAR-HA3	13	1.12	8.65	9.77	7.44	73.1	
N1258-04	WTC-SAR-HA4	14	1.14	8.59	9.73	7.32	71.9	
N1258-05	WTC-SAR-HA5	15	1.14	8.55	9.69	7.87	78.7	
N1258-06	WTC-SAR-HA6	16	1.18	8.63	9.81	7.18	69.5	
N1258-07	WTC-SAR-HA7	17	1.19	8.48	9.67	7.49	74.3	
N1258-08	WTC-SAR-HA7	18	1.15	8.83	9.98	7.44	71.2	
N1258-09	N1258-08MS	19	1.15	8.83	9.98	7.44	71.2	
N1258-10	N1258-08MSD	20	1.15	8.83	9.98	7.44	71.2	
N1261-01	WASTE	38	1.15	8.64	9.79	8.44	84.4	
N1261-02	VOC	39	1.19	8.55	9.74	8.45	84.9	
N1261-03	1	40	1.11	8.51	9.62	8.33	84.8	
N1261-04	2	41	1.15	8.80	9.95	9.00	89.2	
N1261-05	3	42	1.14	8.79	9.93	8.66	85.6	
N1261-06	4	43	1.16	8.77	9.93	8.97	89.1	
N1261-07	5	44	1.13	8.62	9.75	8.42	84.6	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 1/26/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 01/25/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 01/26/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB118363

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N1263-01	D2-E2B	21	1.13	8.59	9.72	8.73	88.5	
N1266-01	RB-13-(1.8-2.8)	45	1.18	8.35	9.53	8.49	87.5	
N1266-02	RB-14-(1.8-3)	46	1.13	8.64	9.77	8.89	89.8	
N1266-03	RB-15-(2-3)	47	1.13	8.64	9.77	8.24	82.3	
N1266-04	RB-10-(5-6)	48	1.16	8.35	9.51	8.2	84.3	
N1266-05	RB-09-(2.8-3.6)	49	1.13	8.53	9.66	8.76	89.4	
N1266-06	RB-08-(5-6)	50	1.18	8.73	9.91	8.82	87.5	
N1266-07	RB-07-(2-3)	51	1.16	8.78	9.94	8.69	85.8	
N1266-08	RB-11-(2.10-3.6)	52	1.15	8.83	9.98	8.54	83.7	
N1267-01	RED-EXT-WALL	22	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N1267-03	RED-EXT-WALL	23	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N1267-04	GRAY-EXT-WALL	24	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N1267-06	GRAY-EXT-WALL	25	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N1267-07	RED-BRICK-EXT-WALL	26	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N1267-09	RED-BRICK-EXT-WALL	27	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N1267-10	ART-ROOM-FLOORS	28	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N1267-12	ART-ROOM-FLOORS	29	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N1267-13	BASMENT-FLOORS	30	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N1267-15	BASMENT-FLOORS	31	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N1267-16	BASEMENT-WALLS	32	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N1267-18	BASEMENT-WALLS	33	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N1267-19	2ND-3RD-FLOOR-WAKKS-1	34	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N1267-21	2ND-3RD-FLOOR-WALLS-1	35	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N1267-22	2ND-3RD-FLOOR-WALLS-2	36	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
N1267-24	2ND-3RD-FLOOR-WALLS-2	37	1.00	1.00	2.00	2.00	100.0	CONCRETE SAMPLE

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

W118363

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %-1-012522 WorkList ID : 156268 Department : Wet-Chemistry Date : 01-25-2022 08:14:48

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
01/20/2022	Solid	N1144-04	Percent Solids	Cool 4 deg C	PSEG03	I11	RO-ETGI-352	01/13/2022	Chemtech -SO
01/27/2022	Solid	N1248-01	Percent Solids	Cool 4 deg C	ENTA05	D11	C1-C2	01/24/2022	Chemtech -SO
01/31/2022	Solid	N1251-01	Percent Solids	Cool 4 deg C	PSEG03	D12	VNJ-222	01/24/2022	Chemtech -SO
01/31/2022	Solid	N1251-02	Percent Solids	Cool 4 deg C	PSEG03	D12	VNJ-222	01/24/2022	Chemtech -SO
01/31/2022	Solid	N1251-03	Percent Solids	Cool 4 deg C	PSEG03	D12	275	01/24/2022	Chemtech -SO
01/31/2022	Solid	N1251-04	Percent Solids	Cool 4 deg C	PSEG03	D12	275	01/24/2022	Chemtech -SO
02/01/2022	Solid	N1254-01	Percent Solids	Cool 4 deg C	PARS02	D11	SP25-04-20220124-12.0-	01/24/2022	Chemtech -SO
02/01/2022	Solid	N1254-02	Percent Solids	Cool 4 deg C	PARS02	D11	SP25-04-20220124-18.5-	01/24/2022	Chemtech -SO
02/01/2022	Solid	N1255-01	Percent Solids	Cool 4 deg C	EART12	D11	MIXED-DEMO	01/24/2022	Chemtech -SO
02/01/2022	Solid	N1256-01	Percent Solids	Cool 4 deg C	EART12	D11	CONCRETE-GRAB	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1258-01	Percent Solids	Cool 4 deg C	USAR03	L11	WTC-SAR-HA1	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1258-02	Percent Solids	Cool 4 deg C	USAR03	L11	WTC-SAR-HA2	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1258-03	Percent Solids	Cool 4 deg C	USAR03	L11	WTC-SAR-HA3	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1258-04	Percent Solids	Cool 4 deg C	USAR03	L11	WTC-SAR-HA4	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1258-05	Percent Solids	Cool 4 deg C	USAR03	L11	WTC-SAR-HA5	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1258-06	Percent Solids	Cool 4 deg C	USAR03	L11	WTC-SAR-HA6	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1258-07	Percent Solids	Cool 4 deg C	USAR03	L11	WTC-SAR-HA7	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1258-08	Percent Solids	Cool 4 deg C	USAR03	L11	WTC-SAR-HA7	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1258-09	Percent Solids	Cool 4 deg C	USAR03	L11	N1258-08MS	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1258-10	Percent Solids	Cool 4 deg C	USAR03	L11	N1258-08MSD	01/24/2022	Chemtech -SO
02/04/2022	Solid	N1261-01	Percent Solids	Cool 4 deg C	SCIA01	H11	WASTE	01/25/2022	Chemtech -SO
02/04/2022	Solid	N1261-02	Percent Solids	Cool 4 deg C	SCIA01	H11	VOC	01/25/2022	Chemtech -SO

Date/Time 01-25-22 15:40 Date/Time 01-25-22 17:16
Raw Sample Received by: JN (WC) Raw Sample Received by: KS (WC)
Raw Sample Relinquished by: KS (WC) Raw Sample Relinquished by: JN (WC)

118363

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %-1-012522 WorkList ID : 156268 Department : Wet-Chemistry Date : 01-25-2022 08:14:48

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
02/04/2022	Solid	N1261-03	Percent Solids	Cool 4 deg C	SCIA01	H11	1	01/25/2022	Chemtech -SO
02/04/2022	Solid	N1261-04	Percent Solids	Cool 4 deg C	SCIA01	H11	2	01/25/2022	Chemtech -SO
02/04/2022	Solid	N1261-05	Percent Solids	Cool 4 deg C	SCIA01	H11	3	01/25/2022	Chemtech -SO
02/04/2022	Solid	N1261-06	Percent Solids	Cool 4 deg C	SCIA01	H11	4	01/25/2022	Chemtech -SO
02/04/2022	Solid	N1261-07	Percent Solids	Cool 4 deg C	SCIA01	H11	5	01/25/2022	Chemtech -SO
01/28/2022	Solid	N1263-01	Percent Solids	Cool 4 deg C	ENTA05	D11	D2-E2B	01/25/2022	Chemtech -SO
02/03/2022	Solid	N1266-01	Percent Solids	Cool 4 deg C	DVIR01	D11	RB-13-(1.8-2.8)	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1266-02	Percent Solids	Cool 4 deg C	DVIR01	D11	RB-14-(1.8-3)	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1266-03	Percent Solids	Cool 4 deg C	DVIR01	D11	RB-15-(2-3)	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1266-04	Percent Solids	Cool 4 deg C	DVIR01	D11	RB-10-(5-6)	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1266-05	Percent Solids	Cool 4 deg C	DVIR01	D11	RB-09-(2.8-3.6)	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1266-06	Percent Solids	Cool 4 deg C	DVIR01	D11	RB-08-(5-6)	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1266-07	Percent Solids	Cool 4 deg C	DVIR01	D11	RB-07-(2-3)	01/24/2022	Chemtech -SO
02/03/2022	Solid	N1266-08	Percent Solids	Cool 4 deg C	DVIR01	D11	RB-11-(2.10-3.6)	01/24/2022	Chemtech -SO
02/01/2022	Solid	N1267-01	Percent Solids	Cool 4 deg C	PSEG03	I11	RED-EXT-WALL	01/25/2022	Chemtech -SO
02/01/2022	Solid	N1267-03	Percent Solids	Cool 4 deg C	PSEG03	I11	RED-EXT-WALL	01/25/2022	Chemtech -SO
02/01/2022	Solid	N1267-04	Percent Solids	Cool 4 deg C	PSEG03	I11	GRAY-EXT-WALL	01/25/2022	Chemtech -SO
02/01/2022	Solid	N1267-06	Percent Solids	Cool 4 deg C	PSEG03	I11	GRAY-EXT-WALL	01/25/2022	Chemtech -SO
02/01/2022	Solid	N1267-07	Percent Solids	Cool 4 deg C	PSEG03	I11	RED-BRICK-EXT-WALL	01/25/2022	Chemtech -SO
02/01/2022	Solid	N1267-09	Percent Solids	Cool 4 deg C	PSEG03	I11	RED-BRICK-EXT-WALL	01/25/2022	Chemtech -SO
02/01/2022	Solid	N1267-10	Percent Solids	Cool 4 deg C	PSEG03	I11	ART-ROOM-FLOORS	01/25/2022	Chemtech -SO
02/01/2022	Solid	N1267-12	Percent Solids	Cool 4 deg C	PSEG03	I11	ART-ROOM-FLOORS	01/25/2022	Chemtech -SO

Date/Time 01.25.22 15:40 Date/Time 01.25.22 17:10
Raw Sample Received by: 70 (WC) Raw Sample Received by: KS (WC)
Raw Sample Relinquished by: KS (WC) Raw Sample Relinquished by: 70 (WC)

18363

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %-1-012522 WorkList ID : 156268 Department : Wet-Chemistry Date : 01-25-2022 08:14:48

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
02/01/2022	Solid	N1267-13	Percent Solids	Cool 4 deg C	PSEG03	I11	BASMENT-FLOORS	01/25/2022	Chemtech -SO
02/01/2022	Solid	N1267-15	Percent Solids	Cool 4 deg C	PSEG03	I11	BASMENT-FLOORS	01/25/2022	Chemtech -SO
02/01/2022	Solid	N1267-16	Percent Solids	Cool 4 deg C	PSEG03	I11	BASEMENT-WALLS	01/25/2022	Chemtech -SO
02/01/2022	Solid	N1267-18	Percent Solids	Cool 4 deg C	PSEG03	I11	BASEMENT-WALLS	01/25/2022	Chemtech -SO
02/01/2022	Solid	N1267-19	Percent Solids	Cool 4 deg C	PSEG03	I11	2ND-3RD-FLOOR-WAKK	01/25/2022	Chemtech -SO
02/01/2022	Solid	N1267-21	Percent Solids	Cool 4 deg C	PSEG03	I11	2ND-3RD-FLOOR-WALLS	01/25/2022	Chemtech -SO
02/01/2022	Solid	N1267-22	Percent Solids	Cool 4 deg C	PSEG03	I11	2ND-3RD-FLOOR-WALLS	01/25/2022	Chemtech -SO
02/01/2022	Solid	N1267-24	Percent Solids	Cool 4 deg C	PSEG03	I11	2ND-3RD-FLOOR-WALLS	01/25/2022	Chemtech -SO

Date/Time 01.25.22 15:40
Raw Sample Received by: JS (WC)
Raw Sample Relinquished by: JS (WC)

Date/Time 01.25.22 17:10
Raw Sample Received by: KS (WC)
Raw Sample Relinquished by: JS (WC)