



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 1/28/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 14:15
In Date: 01/27/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:22
Out Date: 01/28/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB118404

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N1294-04	BGYZ7	1	1.12	8.56	9.68	8.74	89.0	
N1294-05	BGYZ8	2	1.15	8.81	9.96	8.78	86.6	
N1294-06	BGYZ9	3	1.15	8.83	9.98	7.95	77.0	
N1294-07	BGZ00	4	1.13	8.58	9.71	8.11	81.4	
N1294-08	BGZ01	5	1.19	8.47	9.66	8.8	89.8	
N1294-09	BGZ02	6	1.12	8.62	9.74	8.92	90.5	
N1294-10	BGZ03	7	1.18	8.48	9.66	9.26	95.3	
N1294-11	BGZ04	8	1.15	8.43	9.58	7.51	75.4	
N1294-12	BGZ05	9	1.19	8.73	9.92	9.03	89.8	
N1294-13	BGZ06	10	1.14	8.52	9.66	8.54	86.9	
N1294-14	BGZ07	11	1.12	8.51	9.63	7.9	79.7	
N1294-15	BGZ08	12	1.15	8.80	9.95	8.16	79.7	
N1294-16	BGZ09	13	1.12	8.48	9.6	7.29	72.8	
N1294-17	BGZ10	14	1.12	8.86	9.98	9.03	89.3	
N1294-18	BGZ11	15	1.12	8.83	9.95	9.44	94.2	
N1294-19	BGZ12	16	1.12	8.68	9.8	8.62	86.4	
N1294-20	BGZ22	17	1.12	8.68	9.8	9.05	91.4	
N1294-21	BGZ22MS	18	1.12	8.68	9.8	9.05	91.4	
N1294-22	BGZ22MSD	19	1.12	8.68	9.8	9.05	91.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$