



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 2/1/2022

OVENTEMP IN Celsius(°C): 106
Time IN: 17:10
In Date: 01/31/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:28
Out Date: 02/01/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB118459

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N1340-01	SB-1 (0.5-1)	1	1.14	8.78	9.92	8.05	78.7	
N1340-02	SB-2 (1-1.5)	2	1.19	8.57	9.76	8.36	83.7	
N1340-04	SB-4 (1.5-2)	3	1.19	8.59	9.78	7.58	74.4	
N1340-05	SB-5 (1-1.5)	4	1.15	8.57	9.72	7.98	79.7	
N1340-06	SB-6 (1.5-2)	5	1.17	8.48	9.65	7.86	78.9	
N1340-06D	SB-6 (1.5-2) DUP	6	1.18	8.49	9.67	7.89	79.0	
N1340-07	SB-7 (1.5-2)	7	1.18	8.58	9.76	8.02	79.7	
N1342-01	31523	8	1.00	1.00	2.00	2.00	100.0	silica gel
N1342-03	31524	9	1.00	1.00	2.00	2.00	100.0	silica gel
N1342-05	31525	10	1.00	1.00	2.00	2.00	100.0	silica gel
N1342-07	31526	11	1.00	1.00	2.00	2.00	100.0	silica gel
N1342-09	31527	12	1.00	1.00	2.00	2.00	100.0	silica gel
N1342-11	31528	13	1.00	1.00	2.00	2.00	100.0	silica gel
N1342-13	31534	14	1.00	1.00	2.00	2.00	100.0	silica gel
N1342-15	31535	15	1.00	1.00	2.00	2.00	100.0	silica gel
N1342-17	31536	16	1.00	1.00	2.00	2.00	100.0	silica gel
N1342-19	31537	17	1.00	1.00	2.00	2.00	100.0	silica gel
N1342-21	31538	18	1.00	1.00	2.00	2.00	100.0	silica gel
N1342-23	31539	19	1.00	1.00	2.00	2.00	100.0	silica gel
N1342-25	31540	20	1.00	1.00	2.00	2.00	100.0	silica gel
N1342-27	40553	21	1.00	1.00	2.00	2.00	100.0	OILY-DEBRIS
N1342-29	31459	22	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$