



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB118476

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	N1335-01	MH-3S	1	100.03	0.00	02/01/2022	14:10
2	N1335-01DUP	MH-3SDUP	1	100.01	0.00	02/01/2022	14:18
3	N1335-02	MH-3S	1	100.05	0.00	02/01/2022	14:25
4	N1335-04	MH-3D	1	100.02	0.00	02/01/2022	14:35
5	N1335-05	MH-3D	1	100.06	0.00	02/01/2022	14:42
6	N1335-07	MH-4S	1	100.04	0.00	02/01/2022	14:50
7	N1335-08	MH-4S	1	100.05	0.00	02/01/2022	14:58
8	N1335-10	MH-4D	1	100.02	0.00	02/01/2022	15:05
9	N1335-11	MH-4D	1	100.01	0.00	02/01/2022	15:15
10	N1336-01	HD-01-012822	1	100.03	0.00	02/01/2022	15:25

WORKLIST(Hardcopy Internal Chain)

LB 118476

WorkList Name : pf2122

WorkList ID : 156472

Department : Wet-Chemistry

Date : 02-01-2022 11:33:25

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample		Collect Date	Method
						Storage	Location		
01/28/2022	Solid	N1335-01	Paint Filter	Cool 4 deg C	PSEG03	K11	MH-3S	01/28/2022	9095B
01/28/2022	Solid	N1335-02	Paint Filter	Cool 4 deg C	PSEG03	K11	MH-3S	01/28/2022	9095B
01/28/2022	Solid	N1335-04	Paint Filter	Cool 4 deg C	PSEG03	K11	MH-3D	01/28/2022	9095B
01/28/2022	Solid	N1335-05	Paint Filter	Cool 4 deg C	PSEG03	K11	MH-3D	01/28/2022	9095B
01/28/2022	Solid	N1335-07	Paint Filter	Cool 4 deg C	PSEG03	K11	MH-4S	01/28/2022	9095B
01/28/2022	Solid	N1335-08	Paint Filter	Cool 4 deg C	PSEG03	K11	MH-4S	01/28/2022	9095B
01/28/2022	Solid	N1335-10	Paint Filter	Cool 4 deg C	PSEG03	K11	MH-4D	01/28/2022	9095B
01/28/2022	Solid	N1335-11	Paint Filter	Cool 4 deg C	PSEG03	K11	MH-4D	01/28/2022	9095B
01/28/2022	Solid	N1336-01	Paint Filter	Cool 4 deg C	PSEG05	K11	HD-01-012822	01/28/2022	9095B

Date/Time 02/01/22 14:00
 Raw Sample Received by: KS (WC)
 Raw Sample Relinquished by: AS (WC)

Date/Time 02/01/22 15:30
 Raw Sample Received by: AS (WC)
 Raw Sample Relinquished by: KS (WC)