



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 2/14/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 14:25
In Date: 02/12/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 02/13/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB118655

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N1507-01	BGZE4	1	1.18	8.46	9.64	9.2	94.8	
N1507-02	BGZE5	2	1.17	8.38	9.55	8.86	91.8	
N1507-03	BGZE6	3	1.19	8.40	9.59	9.1	94.2	
N1507-04	BGZE7	4	1.19	8.63	9.82	9.21	92.9	
N1507-05	BGZE8	5	1.16	8.73	9.89	9.39	94.3	
N1507-06	BGZE9	6	1.16	8.47	9.63	9.09	93.6	
N1507-07	BGZF0	7	1.16	8.70	9.86	9.52	96.1	
N1507-08	BGZF1	8	1.16	8.80	9.96	9.22	91.6	
N1507-09	BGZF2	9	1.14	8.78	9.92	9.63	96.7	
N1507-10	BGZF3	10	1.16	8.82	9.98	6.64	62.1	
N1507-11	BGZF4	11	1.19	8.36	9.55	5.81	55.3	
N1507-12	BGZF5	12	1.19	8.67	9.86	8.42	83.4	
N1507-13	BGZF6	13	1.19	8.59	9.78	8.17	81.3	
N1507-14	BGZF7	14	1.15	8.60	9.75	7.32	71.7	
N1507-15	BGZF8	15	1.12	8.47	9.59	5.76	54.8	
N1507-16	BGZG9	16	1.15	8.81	9.96	8.8	86.8	
N1507-17	BGZG9MS	17	1.15	8.81	9.96	8.8	86.8	
N1507-18	BGZG9MSD	18	1.15	8.81	9.96	8.8	86.8	
N1507-19	BGZH0	19	1.14	8.84	9.98	9.44	93.9	
N1507-20	BGZH1	20	1.18	8.74	9.92	9.24	92.2	
N1507-21	BGZH2	21	1.19	8.58	9.77	8.87	89.5	
N1507-22	BGZH3	22	1.1	8.86	9.96	9.49	94.7	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$