



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/2/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 16:45
In Date: 03/01/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 03/02/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB118925

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N1708-01	PPSP-B5-19.5-20.0	1	1.14	8.76	9.9	9.12	91.1	
N1708-02	PPSP-B5-20.5-21.0	2	1.17	8.60	9.77	8.78	88.5	
N1708-03	PPSP-B5-25.0-25.5	3	1.15	8.81	9.96	8.76	86.4	
N1708-04	PPSP-B2-20.5-21.0	4	1.13	8.75	9.88	8.93	89.1	
N1708-05	PPSP-B2-22.5-23.0	5	1.15	8.80	9.95	8.79	86.8	
N1708-06	PPSP-B2-25.5-26.0	6	1.16	8.81	9.97	8.82	86.9	
N1708-07	PPSP-B15-19.5-20.0	7	1.14	8.83	9.97	8.77	86.4	
N1708-08	PPSP-B15-22.0-22.5	8	1.16	8.68	9.84	8.41	83.5	
N1708-09	PPSP-B15-25.0-25.5	9	1.13	8.49	9.62	8.23	83.6	
N1708-10	PPSP-B19-15.5-16.0	10	1.19	8.51	9.7	8.77	89.1	
N1708-11	PPSP-B19-22.5-23.0	11	1.15	8.80	9.95	8.61	84.8	
N1708-12	PPSP-B19-25.5-26.0	12	1.16	8.45	9.61	8.38	85.4	
N1708-13	PPSP-B19-28.0-28.5	13	1.15	8.82	9.97	9.22	91.5	
N1708-14	PPSP-B12-22.5-23.0	14	1.19	8.55	9.74	8.54	86.0	
N1708-15	PPSP-B12-25.5-26.0	15	1.18	8.46	9.64	8.56	87.2	
N1708-16	PPSP-B12-28.0-28.5	16	1.19	8.60	9.79	8.52	85.2	
N1708-17	PPSP-B10-17.5-18.0	17	1.15	8.41	9.56	9.18	95.5	
N1708-18	PPSP-B10-25.5-26.0	18	1.19	8.73	9.92	8.66	85.6	
N1708-19	PPSP-B10-28.0-28.5	19	1.14	8.84	9.98	8.53	83.6	
N1709-01	PPSP-B18-18.0-18.5	20	1.16	8.51	9.67	9.25	95.1	
N1709-02	PPSP-B18-26.0-26.5	21	1.18	8.34	9.52	8.31	85.5	
N1709-02D	PPSP-B18-26.0-26.5DUP	22	1.18	8.36	9.54	8.33	85.5	
N1709-03	PPSP-B18-32.5-33.0	23	1.15	8.82	9.97	9.21	91.4	
N1709-04	PPSP-B8-19.0-19.5	24	1.11	8.48	9.59	8.05	81.8	
N1709-05	PPSP-B8-23.5-24.0	25	1.16	8.81	9.97	9.44	94.0	
N1709-06	PPSP-B8-30.0-30.5	26	1.14	8.82	9.96	8.63	84.9	
N1709-07	PPSP-B13-25.5-26.0	27	1.18	8.70	9.88	8.16	80.2	
N1709-08	PPSP-B13-28.0-28.5	28	1.14	8.68	9.82	8.21	81.5	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/2/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 16:45
In Date: 03/01/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 03/02/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB118925

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N1709-09	PPSP-B13-33.0-33.5	29	1.14	8.83	9.97	9.34	92.9	
N1709-10	PPSP-B4-17.5-18.0	30	1.15	8.79	9.94	9.05	89.9	
N1709-11	PPSP-B4-26.5-27.0	31	1.15	8.82	9.97	9.72	97.2	
N1709-12	PPSP-B4-36.0-36.5	32	1.15	8.81	9.96	9.04	89.6	
N1709-13	PPSP-B17-15.5-16.0	33	1.19	8.55	9.74	9.29	94.7	
N1709-14	PPSP-B17-23.5-24.0	34	1.19	8.57	9.76	9.19	93.3	
N1709-15	PPSP-B17-28.0-28.5	35	1.16	8.44	9.6	9.07	93.7	
N1714-01	TR-1-WIPE-10-2-28-22	36	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
N1715-01	IRV-2022-67A	37	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-02	IRV-2022-67B	38	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-03	IRV-2022-68A	39	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-04	IRV-2022-68B	40	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-05	IRV-2022-69A	41	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-06	IRV-2022-69B	42	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-07	IRV-2022-70A	43	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-08	IRV-2022-70B	44	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-09	IRV-2022-71A	45	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-10	IRV-2022-71B	46	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-11	IRV-2022-72A	47	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-12	IRV-2022-72B	48	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-13	IRV-2022-73A	49	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-14	IRV-2022-73B	50	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-15	IRV-2022-74A	51	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-16	IRV-2022-75A	52	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-17	IRV-2022-75B	53	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-18	IRV-2022-76A	54	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-19	IRV-2022-76B	55	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-20	IRV-2022-77A	56	1.00	1.00	2.00	2.00	100.0	PILC REEL



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/2/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 16:45
In Date: 03/01/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 03/02/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB118925

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N1715-21	IRV-2022-77B	57	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-22	IRV-2022-78A	58	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-24	IRV-2022-79A	59	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-25	IRV-2022-79B	60	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-26	IRV-2022-80A	61	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-27	IRV-2022-80B	62	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-28	IRV-2022-81A	63	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-29	IRV-2022-82B	64	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1715-34	IRV-2022-82A	65	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1716-01	BC258780LO2-END-1-1	66	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1716-02	BC258780LO2-END-1-2	67	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1716-03	BC258780LO2-END-2-1	68	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1716-04	BC258780LO2-END-2-2	69	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1716-05	FDA546E-END-1-1	70	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1716-06	FDA546E-END-1-2	71	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1716-07	HEE379T-END-1-1	72	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1716-08	HEE379T-END-1-2	73	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1716-09	HEE379T-END-2-1	74	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1716-10	HEE379T-END-2-2	75	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1716-11	BC107734LOK-END-1-1	76	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1716-12	BC107734LOK-END-1-2	77	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1716-13	BC271242LO2-END-1-1	78	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1716-14	BC271242LO2-END-1-2	79	1.00	1.00	2.00	2.00	100.0	PILC REEL
N1717-01	ETGI-359	86	1.15	8.79	9.94	9.08	90.2	
N1717-03	ETGI-359-EPH-2	87	1.13	8.54	9.67	8.75	89.2	
N1718-01	PCB-022322-01	80	1.00	1.00	2.00	2.00	100.0	CAULKING SAMPLE
N1718-02	PCB-022322-02	81	1.00	1.00	2.00	2.00	100.0	CAULKING SAMPLE
N1718-03	PCB-022322-03	82	1.00	1.00	2.00	2.00	100.0	CAULKING SAMPLE



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/2/2022

OVENTEMP IN Celsius(°C): 107
Time IN: 16:45
In Date: 03/01/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 03/02/2022
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB118925

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
N1718-04	PCB-022322-04	83	1.00	1.00	2.00	2.00	100.0	CAULKING SAMPLE
N1718-05	PCB-022322-05	84	1.00	1.00	2.00	2.00	100.0	CAULKING SAMPLE
N1719-01	TT-148-IDWSO-20220228	85	1.14	8.62	9.76	8.48	85.2	
N1721-01	DUM-1	88	1.17	8.52	9.69	8.54	86.5	
N1721-02	DUM-1-EPH-2	89	1.15	8.54	9.69	8.43	85.2	
N1721-03	DUM-2	90	1.18	8.50	9.68	8.27	83.4	
N1721-04	DUM-2-EPH-2	91	1.15	8.79	9.94	9.26	92.3	
N1721-05	DUM-3	92	1.19	8.77	9.96	8.74	86.1	
N1721-06	DUM-3-EPH-2	93	1.19	8.48	9.67	8.44	85.5	
N1721-07	DUM-4	94	1.19	8.77	9.96	8.77	86.4	
N1721-08	DUM-4-EPH-2	95	1.17	8.42	9.59	8.41	86.0	
N1721-09	DUM-5	96	1.15	8.80	9.95	8.99	89.1	
N1721-10	DUM-5-EPH-2	97	1.11	8.77	9.88	8.82	87.9	
N1722-01	DUM-6	98	1.16	8.81	9.97	9.08	89.9	
N1722-02	DUM-6-EPH-2	99	1.17	8.81	9.98	8.8	86.6	
N1722-03	DUM-7	100	1.15	8.40	9.55	8.69	89.8	
N1722-04	DUM-7-EPH-2	101	1.19	8.63	9.82	8.83	88.5	
N1722-05	DUM-8	102	1.14	8.81	9.95	8.66	85.4	
N1722-06	DUM-8-EPH-2	103	1.17	8.55	9.72	8.37	84.2	
N1722-07	DUM-9	104	1.17	8.78	9.95	8.92	88.3	
N1722-08	DUM-9-EPH-2	105	1.17	8.36	9.53	8.58	88.6	
N1722-09	DUM-10	106	1.13	8.40	9.53	8.32	85.6	
N1722-10	DUM-10-EPH-2	107	1.16	8.55	9.71	8.73	88.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$